


FB SERIES FILTER BOXES



FOR CITY MULTI®, M- AND P-SERIES DUCTED INDOOR UNITS





Product Overview

- ▶ FBL filter boxes include 1" thick pleated MERV 13 filter(s) installed.
 - Rated MERV 13 when tested in accordance with ANSI/ASHRAE 52.2 Standard.
 - Rated Class 2 under UL Standard 900.
- ▶ FBM filter boxes include 2" thick pleated MERV 13 filter(s) installed.
 - Rated MERV 13 when tested in accordance with ANSI/ASHRAE 52.2 Standard.
 - Rated Class 2 under UL Standard 900.
- ▶ FBH filter boxes include 2" thick pleated MERV 13 filter(s) installed.
 - FBH4 filter boxes include 4" MERV-13 filters.
 - Rated MERV 13 when tested in accordance with ANSI/ASHRAE 52.2 Standard.
 - Rated Class 2 under UL Standard 900.
- ▶ Low static loss design.
- ▶ Cabinet is constructed of non-insulated G-60 galvanized steel.
- ▶ Knurled thumb screws on access door allow easy filter replacement.
- ▶ Cabinet may be inverted to locate access from other side.
- ▶ Foam gasket provides airtight connection to indoor unit and access door.
- ▶ Gasket material complies with UL 723 requirements.
- ▶ Screw-through cabinet design for secure attachment to indoor unit.
- ▶ Return connection in rear easily field converted to bottom return.
- ▶ Filter access door includes area to record maintenance schedule.

SPECIFICATIONS



SPECIFICATIONS





PRODUCT GUIDE FB Series Filter Boxes

SPECIFICATIONS

Part Number	Used on CITY MULTI® Models	Used on M- and P-Series Ducted Models	Filters Included	Net Weight lbs.
FBL1-1	PEFY-P06, P08, P12-NMSU-E	SEZ-KD09NA	(1) - 12" x 25" x 1"	12
FBL1-2	PEFY-P15, P18-NMSU-E	SEZ-KD12, KD15-NA, and PEA-A12AA	(1) - 12" x 20" x 1" (1) - 12" x 14" x 1"	15
FBL1-3	PEFY-P24-NMSU-E	SEZ-KD18NA and PEA-A18AA	(2) - 12" x 20" x 1"	18
FBM2-1-A	PEFY-P06, P08, P12-NAMU-E/E2/E3	—	(1) - 14" x 25" x 2"	20
FBM2-2-A	PEFY-P15, P18-NAMU-E/E2/E3	PEAD-A09, A12, A15, A18AA7	(1) - 14" x 20" x 2" (1) - 14" x 14" x 2"	24
FBM2-3-A	PEFY-P24, P27, P30-NAMU-E/E2/E3	PEAD-A24, A30AA/AA4/AA5/AA7	(2) - 14" x 20" x 2"	29
FBM2-4-A	PEFY-P36, P48-NAMU-E/E2/E3	PEAD-A36, A42AA/AA4/AA5/AA7	(2) - 14" x 20" x 2" (1) - 14" x 14" x 2"	35
FBM2-5-A	PEFY-P54-NAMU-E/E2/E3	—	(3) - 14" x 20" x 2"	37
FBH2-1	PEFY-P15, P18, P24-NMHU-E2	—	(1) - 20" x 24" x 2"	14
FBH2-2	PEFY-P27, P30-NMHU-E2	—	(1) - 20" x 16" x 2" (1) - 20" x 20" x 2"	24
FBH2-3	PEFY-P36, P48, P54-NMHU-E2	—	(2) - 20" x 20" x 2"	27
FBH4-4	PEFY-P72, P96	—	(2) - 24" x 24" x 4"	40

Mitsubishi Electric Trane HVAC US
1340 Satellite Boulevard, Suwanee, GA 30024
Phone: 800-433-4822 Fax: 800-889-9904
www.mitsubishipro.com

SKU: ME_AC_0860_1-20

© 2020 Mitsubishi Electric Trane HVAC US LLC. All rights reserved.

Mitsubishi Electric, Lossnay, and the three-diamond logo are trademarks of Mitsubishi Electric Corporation and kumo cloud are registered trademarks of Mitsubishi Electric US, Inc. Trane and American Standard are registered trademarks of Ingersoll-Rand plc. All other product names mentioned herein are trademarks or registered trademarks of their respective owners.

Specifications shown in this brochure are subject to change without notice. See complete warranty for terms, conditions and limitations. A copy is available from Mitsubishi Electric Trane HVAC US LLC. Printed in the USA.

MAKE YOURSELF COMFORTABLE