



**HVAC** installation  
SOLUTIONS

# Dust Free®

## Indoor Air Quality Systems

# IAQ<sup>3</sup>



Filtration



Purification



UV Inactivation



# DUST FREE®

BREATHE THE DIFFERENCE.

Designed to meet

## IAQ<sup>3</sup>

THE INDOOR AIR  
QUALITY STRATEGY



### ✱ FILTRATION

Reduce dust, pollen, mold, and dander, as air circulates through your central air system.

### ⚗ PURIFICATION

Active air purification using next generation technologies to reduce or inactivate indoor air pollutants such as odors, VOCs, and bacteria.<sup>1</sup>

### ☀ UV INACTIVATION

When professionally installed, UV-C light can inactivate specific, targeted bacteria where the UV-C light shines.<sup>2</sup>

# the full spectrum of indoor air quality demands.



## THE FULL LINE OF IAQ<sup>3</sup> AIR QUALITY MANAGEMENT PRODUCTS

✱ DUST FREE MAC-13

✱ DUST FREE MAC-11

✱ DUST FREE SIXTEEN

✱ ELECTROSTATIC AIR FILTERS

⚙️ DUST FREE ACTIVE GOLD

⚙️ DUST FREE CARBON

☀️ LIGHTSTICK GOLD

☀️ LIGHTSTICK, DUALITY, VERSALIGHT, ULTRA-FLEX, 4XTREME, XL

The IAQ<sup>3</sup> platform integrates three levels of air quality products, each increasing the overall air quality of the space. The result is a dynamic air quality management strategy that provides an IAQ solution, custom-tailored to your specific needs.

The platform is the ultimate solution for indoor air quality. Each product works together to build a comprehensive filtration system, purification process and UV inactivation technology that will make indoor environment healthier by delivering high-quality filtered breathing air with less airborne contaminants such as dust, pollen, and microbials.

Action videos and full details @ [rectorseal.com/dustfree](https://rectorseal.com/dustfree)

<sup>1</sup>MS2 virus and Staphylococcus epidermis bacteria.

<sup>2</sup>SARS COV-2, MS2 virus, Bacillus thuringiensis bacteria, Aspergillus niger mold, and Serratia marcescens.

EPA Establishment No. 73316-TX-1



Dust Free is a member of the Green Building Council.





## WHOLE HOME AIR PURIFICATION

### Dust Free® Active Gold

### UV-C Light/Ionization Total Home Air Purification

| Code    | Description                                     | Qty |
|---------|---|-----|
| DF13070 | Active Gold Air Purifier 6"                     | 1   |
| DF13071 | Active Gold Air Purifier 12"                    | 1   |
| DF13074 | Active Gold 6" Rep. Ionizing Cell w/ UV-C Lamp  | 1   |
| DF13075 | Active Gold 12" Rep. Ionizing Cell w/ UV-C Lamp | 1   |
| DF13076 | Active Gold 6" Rep. UV-C Lamp                   | 1   |
| DF13077 | Active Gold 12" Rep. UV-C Lamp                  | 1   |
| DF13078 | Active Gold Magnetic Mounting Bracket Kit       | 1   |



#### FEATURES

- Dual active air purification technologies
- Reduces airborne particulate matter by improving the performance of your existing filtration system using millions of charged ions
- Redesigned ionizers produce more negatively-charged ions and increase ion density
- Effective against odors, VOC, and inactivates virus in the air
- 3000V surge protection
- Gasket-sealed mounting plate for easy installation and maintenance
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- UL, CE, and FCC compliant
- UL 2998 - no ozone standards and is CARB certified
- Warranty: 7-yr power supply; 4-yr ionizing cell; 2-yr UV-C lamp

**APPLICATION** • The Dust Free Active Air purifier's unique, dual technologies target air quality problems at the source using germicidal UV-C and ionization systems to clean the air in your home. The UV-C light and ionization provide the comprehensive IAQ solution. Laboratory tests have also proven that the Dust Free Active can reduce airborne bacteria.

**RECOMMENDED FOR** • HVAC systems • Whole home air purification • Reducing dust, dander, VOC's, odors and other allergens

**WARNING:** This product can expose you to chemicals including mercury and mercury compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## WHOLE HOME AIR PURIFICATION

### Dust Free® Carbon

#### Carbon/UV-C light whole home air purification

| Code    | Description                        | Qty |
|---------|------------------------------------|-----|
| DF13052 | Carbon Air Purifier, 14"           | 1   |
| DF13055 | Repl. Lamp 14" Carbon Air Purifier | 1   |
| DF13073 | Repl. Ballast Carbon               | 1   |
| DF13056 | Carbon Repl. Cell (No Lamp)        | 1   |

#### FEATURES

- Proprietary Carbon/UV-C Light multistage technology
- Reduces Formaldehyde
- UL 2998 Certified and CARB listed
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- Highest quality construction
- Compact
- Warranty: 7-yr limited; 1-yr on core; 2-yr lamp warranty

**APPLICATION** • Dust Free's new carbon technology is one of the industry's leading duct-mounted air purification processes that effectively reduces VOC's and Formaldehyde that can exist in indoor air.

**RECOMMENDED FOR** • HVAC systems • Whole home air purification  
• Reducing VOC, dosing mold and mildew on HVAC cooling coils



**WARNING:** This product can expose you to chemicals including mercury and mercury compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



| Models               | Dimensions†          | Power   | Weight        | Core                         |
|----------------------|----------------------|---|---------------|------------------------------|
| Dust Free Carbon 14" | 6.5"H X 6"W X 14.5"L | ††24VAC, 50/60Hz, 1.4A. 3000V surge protection. | Approx. 3 lbs | Ozone-free Carbon technology |

† Mounting Plate: 8"H x 8"W. †† Expanded range ballast: 20V-32V.

### PTAC

#### PTAC/ETAC Air Purifier

| Code    | Description                             | Qty |
|---------|---|-----|
| DF10021 | Dust Free PTAC 230V                     | 1   |
| DF09941 | Repl. PTAC/ETAC Honeycomb catalyst cell | 1   |
| DF10022 | PTAC 265V                               | 1   |

#### FEATURES

- UV purification technology improves indoor air quality
- Installs in PTAC/ETAC models up to 500 CFM
- Designed for PTAC/ETAC units utilized in hospitality applications

**APPLICATION** • The Dust Free PTAC Air Purifier is specifically designed for PTAC/ETAC systems, and other space limited HVAC applications

**RECOMMENDED FOR** • Uniquely designed to install in tight places utilizing germicidal UV and PCO technologies





## UV INACTIVATION

### Dust Free® Lightstick®

#### Germicidal UV lights

| Code    | Description  | Qty |
|---------|--|-----|
| DF19300 | Lightstick UV light<br>(9,000 hours lamp life)       | 1   |
| DF19301 | Lightstick Gold UV light<br>(18,000 hours lamp life) | 1   |
| DF19303 | Repl. lamp 15" Lightstick Gold                       | 1   |
| DF09612 | Lightstick Ballast 24V                               | 1   |
| DF19302 | Replacement lamp 15" lightstick                      | 1   |

#### FEATURES

- Inactivates SARS CoV-2, bacteria,<sup>1</sup> and mold on surfaces where the light shines when professionally installed<sup>2</sup>
- Expanded range ballast operates over a range of 20V to 32V and offers 3000V surge protection
- Direct Connect™ custom design allows lamp to be installed directly in A-coil delta plate for optimal UV exposure
- Professionally engineered injection molded thermoplastic co-polymer high-strength power supply
- Highest UVC output compared to other 24V UV fixtures
- Warranty:  
Lightstick - 4-yr limited; 1-yr lamp  
Lightstick Gold - 7-yr limited; 2-yr lamp

**APPLICATION** • The Dust Free Lightstick series, Lightstick and Lightstick Gold, have been redesigned from the ground up using the highest quality components. The series' professionally engineered injection molded thermoplastic co-polymer high strength ballast design and comprehensive HALT testing provide improved reliability. The Lightstick and Lightstick Gold utilize low mercury lamps that are better for the environment and provide high ambient temperature operation.

**RECOMMENDED FOR** • Any residential HVAC system • Works with your air filter 24/7 to disinfect cooling coils, drain pans, and duct surfaces



<sup>1</sup>MS2 virus and Staphylococcus epidermis bacteria.  
<sup>2</sup>SARS COV-2, MS2 virus, Bacillus thuringiensis bacteria, Aspergillus niger mold, and Serratia marcescens.



## UV INACTIVATION

# Bio-Fighter® 4Xtreme

## Commercial UV light

| Code    | Description                         | Qty |
|---------|-------------------------------------|-----|
| DF06159 | UV Unit BF 4Xtreme Roof Top 21      | 1   |
| DF06160 | UV Unit BF 4Xtreme Roof Top 33      | 1   |
| DF06168 | UV Unit BF 4Xtreme Roof Top 45      | 1   |
| DF06180 | Lamp single Replacement 21" 4Xtreme | 1   |
| DF06181 | Lamp 6-PAK Replacement 21" 4Xtreme  | 1   |
| DF06182 | Lamp single Replacement 33" 4Xtreme | 1   |
| DF06183 | Lamp 6-PAK Replacement 33" 4Xtreme  | 1   |
| DF06184 | Lamp single Replacement 45" 4Xtreme | 1   |
| DF06185 | Lamp 6-PAK Replacement 45" 4Xtreme  | 1   |
| DF06190 | Ballast Replacement Kit 4Xtreme mod | 1   |
| DF06308 | Sub-Assembly 4Xtreme base unit      |     |

**APPLICATION** • Whether it is Mother Nature or a splash of coil cleaner, the Bio-Fighter 4Xtreme rooftop UV-C fixture, equipped with a UL listed NEMA 4X interlocked enclosure, can handle the harshest of HVAC environments.


**RECOMMENDED FOR** • Commercial HVAC systems • Indoor and outdoor applications • Rooftop AHU applications



### FEATURES

- NEMA 4X rated housing protects internal components and chemicals against moisture and corrosion
- Suitable for extreme indoor/ outdoor applications
- Large T6 HO lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Tilt-lamp feature increases the amount of UV-C dosage into water located in the drain pan
- Safety interlock switch on cover ensures user safety by preventing unit operation while cover is open
- Warranty: 3-yr limited; 1-yr lamp





## UV INACTIVATION

# Bio-Fighter® Ultra-Flex

## Premium Residential UV light

| Code    | Description  | Qty |
|---------|--|-----|
| DF09007 | Bio-Fighter Ultra-Flex 16", Dual lamp, 2S16 (2SUF16) | 1   |
| DF06198 | Ultra-flex remote lamp assembly                      | 1   |



### FEATURES

- Adaptive electronic ballast senses input voltage and automatically adjusts for 120V to 240V power
- Extra long 6-ft lamp cables with moisture boot seals lamp connections against moisture in high humidity environments
- User-friendly slide-clip lamp retention system makes bulb replacement easier
- Air handler viewport makes it easy to monitor lamp operation in every application
- Stainless steel remote-lamp housing protects lamp connection assembly from accidental damage
- External fuse and lighted On/Off switch for easy and safe operation
- Warranty: 5-yr limited; 1-yr lamp

**APPLICATION** • The Bio-Fighter Ultra-Flex offers a tremendously flexible platform for HVAC UV-C applications. Multi-input voltage, remote mount lamp capability, and multiple lamp lengths allow for a bespoke UV-C solution.

**RECOMMENDED FOR** • Residential HVAC systems • Can be mounted anywhere in the HVAC system or duct work • Dual lamp units are recommended for A-coil and return air applications





# Bio-Fighter® VersaLight

## High-output UV light

| Code    | Description                                       | Qty |
|---------|---|-----|
| DF06153 | Bio-Fighter VersaLight 16in, Single lamp (1SVL16) | 1   |
| DF06154 | Bio-Fighter VersaLight 16in, Dual lamp (2SVL16)   | 1   |
| DF06033 | UV light bulb replacement 20"                     | 1   |
| DF06157 | Replacement lamp single 14"                       | 1   |
| DF06032 | UV light bulb replacement 16"                     | 1   |



### FEATURES

- Single or dual remote-mount capability allows flexibility in unit location and application
- Smart ballast technology senses input voltage and automatically adjusts for 120V to 240V power
- Moisture boot seals lamp connections against moisture in high humidity environments
- Custom designed HO lamps offer greater durability while emitting higher levels of disinfecting UV-C light
- Lighted On/Off switch and external fuse are conveniently located
- Warranty: 3-yr limited; 1-yr lamp

**APPLICATION** • The VersaLight provides the installing contractor with a remote-mounted lamp capability that allows placement of one, or two, of the HO lamps anywhere within 6 feet of the VersaLight's chassis. This remote feature, coupled with the VersaLight's multi-input voltage power supply that can handle 120V to 240V, makes the VersaLight the "One size fits All" UV-C fixture.

**RECOMMENDED FOR** • HVAC systems • Can be mounted anywhere in the HVAC system or ductwork • Single lamp is suitable for slab coil applications 3 tons or less, and 1200 CFM or less • Dual lamp units are recommended for A-coil and return air applications





## UV INACTIVATION

# Dust Free® Duality®

## UV light for ductless mini-split systems


| Code    | Description                   | Qty |
|---------|-------------------------------|-----|
| DF19200 | Duality UV                    | 1   |
| DF19201 | Duality Replacement LED array | 1   |

### FEATURES

- Dual UV LED arrays
- Dual UV spectrums, UV-A and UV-C irradiation
- Dual sanitizing options, VOC filter and UV coil scrubbing
- Dual input voltage, 120VAC or 230VAC
- Zero ozone emissions
- Easy installation; Hassle-free setup with universal compatibility for ductless systems
- Easy clip-on airflow sensor automatically and proactively powers unit on/off
- Durable 3M adhesives fit every installation need
- EMC and LVD tested and qualified for safe indoor applications
- Warranty: 5-yr limited

**APPLICATION** • Designed to fit and function in compact areas of HVAC components • Germicidal ultraviolet (UVGI) helps inactivate viruses and bacteria on damp surfaces ensuring the optimal efficiency of HVAC systems • Combines UV-C light and photocatalytic oxidation to neutralize odors and volatile organic compounds (VOCs)

**RECOMMENDED FOR** • Ductless mini-split systems • Areas where space is a premium





## UV INACTIVATION

# Bio-Fighter® XL

## Commercial UV light for large applications

| Code    | Description               | Qty |
|---------|---------------------------|-----|
| DF06170 | Bio-Fighter XL-21" (120v) | 1   |
| DF06172 | Bio-Fighter XL-33" (120v) | 1   |
| DF06174 | Bio-Fighter XL-45" (120v) | 1   |
| DF06176 | Bio-Fighter XL-61" (120v) | 1   |
| DF06178 | Bio-Fighter XL-21" (230v) | 1   |
| DF06188 | Bio-Fighter XL-45" (230v) | 1   |
| DF06189 | Bio-Fighter XL-61" (230v) | 1   |

**APPLICATION** • Large commercial coils require large UV-C fixtures to maximize surface area coverage efficiently. The Bio-Fighter XL is uniquely qualified for extra-large applications with lamp lengths up to five feet and a class-leading reflector surface area to cost effectively apply a high dose of UV-C energy.

**RECOMMENDED FOR** • Commercial HVAC systems • Large commercial cooling coils • Large applications with extra long lamp lengths



### FEATURES

- Extra long lamps to maximize exposure over large commercial cooling coils
- New magnetic mounting makes installation quicker than ever
- Highly polished aluminum reflector focuses more UV-C light toward coil
- Large T6 lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Multiple conduit locations on chassis allow for flexible installations
- Warranty: 3-yr limited; 1-yr lamp



| Models          | Dimensions†   | Power  | Lamp/Lamp Life                                  | Weight        |
|-----------------|---|--|---|---------------|
| Lightstick      | 1.75"H X 3.16"W X 4.75"L  | 24VAC (Expanded range ballast: 20V–32V), 50/60Hz, 1.4A. 3000V surge protection. 3ft power cord, 4ft lamp cord. | 15" / 9,000-hr                                  | 2.6 – 3 lbs   |
| Lightstick Gold |   |  | 15" / 18,000-hr                                 |               |
| Ultra-Flex      | 2"H x 4"W x 9.25"L  | 120–240VAC, 50/60Hz, 6ft power cord.   | 14"–16" / 9,000-hr                              | 4 lbs         |
| 4Xtreme         | 4.25"H x 8"W x 11.56"L  | 120–240VAC, 50/60Hz, 0.90A/0.50A.  | 21", 33", 45" / 9,000-hr                        | 8.2 lbs       |
| VersaLight      | 2.5"H x 5"W x 13"L  | 120–240VAC, 50/60Hz, 0.90A/0.50A.  | 14", 16", 20" / 9,000-hr. Single and dual lamp. | 5.75 – 6 lbs  |
| XL              | 2.5"H x 3.375"W x 24"–64"L  | 120–230VAC, 50/60Hz, 1.15A/0.60A.  | 21", 33", 45", 61" / 9,000-hr                   | 3.9 – 8.3 lbs |
| Duality         | Power Supply: 4" L X 2.3" W X 1" H<br>LED Strips: 8.8" L X 0.4" W<br>VOC Filter: 7.8" L X 2.3" W x 0.1" H | 90–240VAC  | 4" / 50,000-hr                                  | 1.1 lb        |



## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Dust Free® MAC 13

Best in class media air cleaner

| Code  | Description   | Qty |
|---|---|-----|
| <b>MAC 13 Cabinet with Standard Filters</b> |   |     |
| DF11078                                     | MAC 13 Cabinet MERV 13 with Standard Filter 25" x 22" | 1   |
| DF11079                                     | MAC 13 Cabinet MERV 13 with Standard Filter 17" x 22" | 1   |
| DF11086                                     | MAC 13 Cabinet MERV 13 with Standard Filter 16" x 25" | 1   |
| DF11087                                     | MAC 13 Cabinet MERV 13 with Standard Filter 20" x 20" | 1   |
| DF11088                                     | MAC 13 Cabinet MERV 13 with Standard Filter 20" x 25" | 1   |
| <b>Standard Replacement Filters</b>         |   |     |
| DF12594                                     | Merv 13 Standard Pleat Filter Replacement 14"x25"     | 1   |
| DF11096                                     | Merv 13 Standard Pleat Filter Replacement 16"x20"     | 1   |
| DF11097                                     | Merv 13 Standard Pleat Filter Replacement 16"x25"     | 1   |
| DF11098                                     | Merv 13 Standard Pleat Filter Replacement 20"x20"     | 1   |
| DF11099                                     | Merv 13 Standard Pleat Filter Replacement 20"x25"     | 1   |
| <b>MAC 13 Cabinet with Carbon Filters</b>   |   |     |
| DF12598                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 14"x25"     | 1   |
| DF11080                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 16"x25"     | 1   |
| DF11081                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 20"x20"     | 1   |
| DF11082                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 20"x25"     | 1   |
| DF11083                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 17"x22"     | 1   |
| DF11084                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 21"x22"     | 1   |
| DF11085                                     | MAC 13 Cabinet MERV 13 with Carbon Filter 25"x22"     | 1   |
| <b>Carbon Replacement Filters</b>           |   |     |
| DF12597                                     | Merv 13 Carbon Pleat Filter Replacement 14"x25"       | 1   |
| DF11089                                     | Merv 13 Carbon Pleat Filter Replacement 16"x20"       | 1   |
| DF11090                                     | Merv 13 Carbon Pleat Filter Replacement 16"x25"       | 1   |
| DF11091                                     | Merv 13 Carbon Pleat Filter Replacement 20"x20"       | 1   |
| DF11092                                     | Merv 13 Carbon Pleat Filter Replacement 20"x25"       | 1   |

#### FEATURES

- MERV 13 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Available with carbon filters
- Minimal air leakage design
- Effective in trapping household dust, pollen, and other allergens more effective than traditional filter media
- Provide the best balance between sub-micron filtration and air flow
- Lowest pressure drop MERV 13 filter at 0.24 w.c.
- Warranty: Limited lifetime on cabinet only

**APPLICATION** • Dust Free's Media Air Cleaners utilize a best in class MERV 13 filter that traps more airborne particles than traditional disposable fiberglass filters. Not only is it effective in reducing airborne household dust, mold spores, pollen, and other allergens, the ASHRAE 52.2 tested MERV 13 media allows adequate air flow for high SEER HVAC equipment.

**RECOMMENDED FOR** • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Trapping household dust, pollen, and other allergens







## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Dust Free® MAC 11

Media air cleaner for indoor air improvement

| Code                                 | Description                                      | Qty |
|--------------------------------------|--|-----|
| MAC 11 Cabinet with Standard Filters |  |     |
| DF12580                              | MAC 11 Cabinet MERV 11 w/Standard Filter 16"x25" | 1   |
| DF12581                              | MAC 11 Cabinet MERV 11 w/Standard Filter 20"x20" | 1   |
| DF12582                              | MAC 11 Cabinet MERV 11 w/Standard Filter 20"x25" | 1   |
| DF12583                              | MAC 11 Cabinet MERV 11 w/Standard Filter 17"x22" | 1   |
| DF12584                              | MAC 11 Cabinet MERV 11 w/Standard Filter 21"x22" | 1   |
| DF12585                              | MAC 11 Cabinet MERV 11 w/Standard Filter 25"x22" | 1   |
| DF12590                              | MAC 11 Cabinet MERV 11 w/Standard Filter 14"x25" | 1   |
| DF12591                              | MAC 11 Cabinet MERV 11 w/Standard Filter 25"x25" | 1   |
| MAC 11 Replacement Filters           |  |     |
| DF12579                              | MAC 11 Replacement Filter 25" x 25" x 4"         | 1   |
| DF12586                              | MAC 11 Replacement Filter 15" x 19" x 4"         | 1   |
| DF12587                              | MAC 11 Replacement Filter 15" x 24" x 4"         | 1   |
| DF12588                              | MAC 11 Replacement Filter 19" x 19" x 4"         | 1   |
| DF12589                              | MAC 11 Replacement Filter 19" x 24" x 4"         | 1   |
| DF12592                              | MAC 11 Replacement Filter 13" x 19" x 4"         | 1   |

#### FEATURES

- MERV 11 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Minimal air leakage design
- Effective in reducing household dust, pollen, and other allergens more effective than traditional filter media
- Warranty: Limited lifetime on cabinet only

**APPLICATION** • Dust Free's MERV 11 Media Air Cleaner is a lower cost alternative to the Dust Free MERV 13 Media Air Cleaner. The MERV 11 Media Air Cleaner retains the same gasketed door and a high efficiency MERV 11 filter cartridge tested to ASHRAE 52.2 standards.

**RECOMMENDED FOR** • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Reducing household dust, pollen, and other allergens



| Models            | Efficiency | Resistance | Media   | Cabinet           | Dimensions (D x H x W)  |
|-------------------|------------|------------|---------|-------------------|---|
| Dust Free MERV 11 | MERV 11    | --         | Pleated | Galvanized steel. | 27.13" x 17.00" x 6.56"<br>22.13" x 21.00" x 6.56"<br>27.13" x 21.00" x 6.56"<br>22.13" x 22.00" x 6.56"<br>22.13" x 22.00" x 6.56" |
| Dust Free MERV 13 | MERV 13    | 0.24"      | Pleated | Painted steel.    | 22.13" x 25.25" x 6.56"   |



# Permanent Air Filters

## A lifetime of cleaner air in your home.


The wise investment of a Permanent Air Filter for your home can protect it from everyday pollutants like dust and pollen.

Dust Free filters use multiple layers with electrostatically-charged filtration media that capture these particles as well as any other harmful particulates in the air around you!

The Dust Free permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep them operating at peak efficiency for a lifetime.

### FEATURES

- Made in the USA with precise manufacturing techniques and attention to detail
- Drain holes allow water to drain quickly for faster drying after cleaning
- Available in multiple standard sizes in 1 or 2 frames
- Custom and adjustable sizes available
- High-strength extruded aluminum frame
- Pull tabs for easy removal for maintenance
- Durable construction for even the most powerful HVAC systems
- Multiple filtration layers
- Patented configuration alternate polarity, self-charging layers of media



| Models              | Efficiency <sup>†</sup> | Resistance <sup>††</sup> | Media          | Frame                   | Sizes  |
|---------------------|-------------------------|--------------------------|----------------|-------------------------|--|
| Dust Fighter 95     | 95%                     | 0.15                     | 5 Layers       | Aluminum                | 40 standard sizes. 1", 2", and adjustable sizes. . |
| Dust Fighter 90     | 90%                     | 0.12                     | 3 Layers       |                         |  |
| Allergy Gold        | 90%                     | 0.12"                    | 3 Layers       | Gold-anodized aluminum  |  |
| MAXaire Gold        | 81%                     | 0.08"                    | 3 Layers       |                         |  |
| EnviroGREEN 8 Pleat | MERV 8                  | 0.17"                    | Pleated V-Core | Green-anodized aluminum | 33 standard sizes. Custom sizes up to 600 sq. in.  |

†Except for EnviroGREEN 8 pleat, efficiency represents peak arrestance as tested to ASHRAE 52-76 test procedures. †† Initial resistance @ 1200 CFM.

## PERMANENT AIR FILTERS

### Dust Fighter® 95



#### Highest performance electrostatic air filter

The Dust Fighter® 95 permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep the air filter operating at peak efficiency for a lifetime.

- 40 standard sizes. 1", 2", and adjustable sizes.
- 95% peak. 93% average.<sup>1</sup>
- 0.15" initial resistance @ 1200CFM
- 100 grams at 0.5" w.g. 130 grams at 1" w.g.
- 5 layers
- Extruded aluminum




1. As tested to ASHRAE 52-76 test procedures.

| Code           | Description                           | Qty |
|----------------|---------------------------------------|-----|
| DF925-0338-010 | Filter Permanent DF95 10x20x1         | 1   |
| DF925-0338-011 | Filter Permanent DF95 12x12x1         | 1   |
| DF925-0338-012 | Filter Permanent DF95 12x20x1         | 1   |
| DF925-0338-013 | Filter Permanent DF95 12x24x1         | 1   |
| DF925-0338-014 | Filter Permanent DF95 12x30x1         | 1   |
| DF925-0338-015 | Filter Permanent DF95 12x36x1         | 1   |
| DF925-0338-016 | Filter Permanent DF95 14x14x1         | 1   |
| DF925-0338-017 | Filter Permanent DF95 14x20x1         | 1   |
| DF925-0338-018 | Filter Permanent DF95 14x24x1         | 1   |
| DF925-0338-019 | Filter Permanent DF95 14x25x1         | 1   |
| DF925-0338-020 | Filter Permanent DF95 14x30x1         | 1   |
| DF925-0338-021 | Filter Permanent DF95 15x20x1         | 1   |
| DF925-0338-022 | Filter Permanent DF95 16x16x1         | 1   |
| DF925-0338-023 | Filter Permanent DF95 16x20x1 (19P89) | 1   |
| DF925-0338-024 | Filter Permanent DF95 16x24x1         | 1   |
| DF925-0338-025 | Filter Permanent DF95 16x25x1 (19P90) | 1   |
| DF925-0338-026 | Filter Permanent DF95 18x18x1         | 1   |
| DF925-0338-027 | Filter Permanent DF95 18x24x1         | 1   |
| DF925-0338-028 | Filter Permanent DF95 18x25x1         | 1   |
| DF925-0338-029 | Filter Permanent DF95 20x20x1 (19P91) | 1   |
| DF925-0338-030 | Filter Permanent DF95 20x24x1         | 1   |
| DF925-0338-031 | Filter Permanent DF95 20x25x1 (19P92) | 1   |
| DF925-0338-032 | Filter Permanent DF95 20x30x1         | 1   |
| DF925-0338-033 | Filter Permanent DF95 24x24x1 (27P66) | 1   |
| DF925-0338-034 | Filter Permanent DF95 24x30x1         | 1   |
| DF925-0338-035 | Filter Permanent DF95 25x25x1         | 1   |
| DF925-0338-041 | Filter Permanent DF95 12x12x2         | 1   |
| DF925-0338-042 | Filter Permanent DF95 12x20x2         | 1   |
| DF925-0338-043 | Filter Permanent DF95 12x24x2         | 1   |
| DF925-0338-046 | Filter Permanent DF95 14x14x2         | 1   |
| DF925-0338-047 | Filter Permanent DF95 14x20x2         | 1   |
| DF925-0338-048 | Filter Permanent DF95 14x24x2         | 1   |
| DF925-0338-051 | Filter Permanent DF95 15x20x2         | 1   |

| Code           | Description                          | Qty |
|----------------|--------------------------------------|-----|
| DF925-0338-052 | Filter Permanent DF95 16x16x2        | 1   |
| DF925-0338-053 | Filter Permanent DF95 16x20x2        | 1   |
| DF925-0338-054 | Filter Permanent DF95 16x24x2        | 1   |
| DF925-0338-055 | Filter Permanent DF95 16x25x2        | 1   |
| DF925-0338-056 | Filter Permanent DF95 18x18x2        | 1   |
| DF925-0338-059 | Filter Permanent DF95 20x20x2        | 1   |
| DF925-0338-060 | Filter Permanent DF95 20x24x2        | 1   |
| DF925-0338-061 | Filter Permanent DF95 20x25x2        | 1   |
| DF925-0338-062 | Filter Permanent DF95 20x30x2        | 1   |
| DF925-0338-063 | Filter Permanent DF95 24x24x2        | 1   |
| DF925-0338-064 | Filter Permanent DF95 24x30x2        | 1   |
| DF925-0338-065 | Filter Permanent DF95 25x25x2        | 1   |
| DF925-0338-073 | Filter Permanent DF95 10x10x1        | 1   |
| DF925-0338-074 | Filter Permanent DF95 10x24x1        | 1   |
| DF925-0338-075 | Filter Permanent DF95 10x30x1        | 1   |
| DF925-0338-076 | Filter Permanent DF95 12x25x1        | 1   |
| DF925-0338-077 | Filter Permanent DF95 15x25x1        | 1   |
| DF925-0338-078 | Filter Permanent DF95 16x30x1        | 1   |
| DF925-0338-079 | Filter Permanent DF95 16x32x1        | 1   |
| DF925-0338-080 | Filter Permanent DF95 16x36x1        | 1   |
| DF925-0338-081 | Filter Permanent DF95 18x30x1        | 1   |
| DF925-0338-082 | Filter Permanent DF95 18x36x1        | 1   |
| DF925-0338-084 | Filter Permanent DF95 20x32x1        | 1   |
| DF925-0338-085 | Filter Permanent DF95 21x21x1        | 1   |
| DF925-0338-091 | Filter Permanent DF95 16x30x2        | 1   |
| DF925-0338-094 | Filter Permanent DF95 18x20x2        | 1   |
| DF925-0338-095 | Filter Permanent DF95 18x30x2        | 1   |
| DF925-0338-096 | Filter Permanent DF95 18x36x2        | 1   |
| DF925-0338-100 | Filter Permanent DF95 18x20x1        | 1   |
| DF925-0339-003 | Filter Permanent DF95 Fastrack 20x25 | 1   |
| DF925-0339-004 | Filter Permanent DF95 Fastrack 24x30 | 1   |

## PERMANENT AIR FILTERS

### Dust Fighter 90



#### High performance electrostatic air filter

The Dust Fighter® 90 permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep the air filter operating at peak efficiency for a lifetime.

- 40 standard sizes. 1", 2", and adjustable sizes.
- 90% peak. 89% average.<sup>1</sup>
- 0.12" initial resistance @ 1200CFM
- 85 grams at 0.5" w.g. 125 grams at 1" w.g.
- 3 layers
- Extruded aluminum



1. As tested to ASHRAE 52-76 test procedures.

| Code           | Description                   | Qty |
|----------------|-------------------------------|-----|
| DF925-0333-001 | Filter permanent DF90 10x20x1 | 1   |
| DF925-0333-002 | Filter Permanent DF90 12x24x1 | 1   |
| DF925-0333-003 | Filter permanent DF90 14x20x1 | 1   |
| DF925-0333-004 | Filter permanent DF90 14x24x1 | 1   |
| DF925-0333-005 | Filter permanent DF90 14x25x1 | 1   |
| DF925-0333-006 | Filter permanent DF90 14x30x1 | 1   |
| DF925-0333-007 | Filter permanent DF90 16x20x1 | 1   |
| DF925-0333-008 | Filter permanent DF90 16x25x1 | 1   |
| DF925-0333-009 | Filter permanent DF90 18x18x1 | 1   |
| DF925-0333-010 | Filter permanent DF90 18x24x1 | 1   |
| DF925-0333-011 | Filter permanent DF90 18x25x1 | 1   |
| DF925-0333-012 | Filter permanent DF90 20x20x1 | 1   |
| DF925-0333-013 | Filter permanent DF90 20x24x1 | 1   |
| DF925-0333-014 | Filter permanent DF90 20x25x1 | 1   |
| DF925-0333-015 | Filter permanent DF90 20x30x1 | 1   |
| DF925-0333-016 | Filter permanent DF90 24x24x1 | 1   |
| DF925-0333-017 | Filter permanent DF90 25x25x1 | 1   |
| DF925-0333-024 | Filter permanent DF90 10x10x1 | 1   |
| DF925-0333-027 | Filter permanent DF90 12x25x1 | 1   |
| DF925-0333-028 | Filter permanent DF90 15x25x1 | 1   |
| DF925-0333-029 | Filter permanent DF90 16x30x1 | 1   |
| DF925-0333-030 | Filter permanent DF90 16x32x1 | 1   |
| DF925-0333-032 | Filter permanent DF90 18x30x1 | 1   |
| DF925-0333-033 | Filter permanent DF90 18x36x1 | 1   |
| DF925-0333-037 | Filter permanent DF90 18x20x1 | 1   |
| DF925-0333-038 | Filter permanent DF90 12x12x1 | 1   |
| DF925-0333-039 | Filter permanent DF90 12x20x1 | 1   |
| DF925-0333-040 | Filter permanent DF90 12x30x1 | 1   |
| DF925-0333-041 | Filter permanent DF90 12x36x1 | 1   |
| DF925-0333-042 | Filter permanent DF90 14x14x1 | 1   |

| Code           | Description                     | Qty |
|----------------|---------------------------------|-----|
| DF925-0333-043 | Filter permanent DF90 15x20x1   | 1   |
| DF925-0333-044 | Filter permanent DF90 16x16x1   | 1   |
| DF925-0333-045 | Filter permanent DF90 16x24x1   | 1   |
| DF925-0333-046 | Filter permanent DF90 24x30x1   | 1   |
| DF925-0333-207 | Filter permanent DF90 12x24x2   | 1   |
| DF925-0333-211 | Filter permanent DF90 14x14x2   | 1   |
| DF925-0333-212 | Filter permanent DF90 14x20x2   | 1   |
| DF925-0333-213 | Filter permanent DF90 14x24x2   | 1   |
| DF925-0333-214 | Filter permanent DF90 14x25x2   | 1   |
| DF925-0333-217 | Filter permanent DF90 15x25x2   | 1   |
| DF925-0333-218 | Filter permanent DF90 16x16x2   | 1   |
| DF925-0333-219 | Filter permanent DF90 16x20x2   | 1   |
| DF925-0333-221 | Filter permanent DF90 16x25x2   | 1   |
| DF925-0333-222 | Filter permanent DF90 16x30x2   | 1   |
| DF925-0333-226 | Filter permanent DF90 18x20x2   | 1   |
| DF925-0333-227 | Filter permanent DF90 18x24x2   | 1   |
| DF925-0333-232 | Filter permanent DF90 20x20x2   | 1   |
| DF925-0333-233 | Filter permanent DF90 20x24x2   | 1   |
| DF925-0333-234 | Filter permanent DF90 20x25x2   | 1   |
| DF925-0333-235 | Filter permanent DF90 20x30x2   | 1   |
| DF925-0333-238 | Filter permanent DF90 24x24x2   | 1   |
| DF925-0333-239 | Filter permanent DF90 24x30x2   | 1   |
| DF925-0333-227 | Dust Fighter 90 Filter, 18x24x2 | 1   |
| DF925-0333-232 | Dust Fighter 90 Filter, 20x20x2 | 1   |
| DF925-0333-233 | Dust Fighter 90 Filter, 20x24x2 | 1   |
| DF925-0333-234 | Dust Fighter 90 Filter, 20x25x2 | 1   |
| DF925-0333-235 | Dust Fighter 90 Filter, 20x30x2 | 1   |
| DF925-0333-238 | Dust Fighter 90 Filter, 24x24x2 | 1   |
| DF925-0333-239 | Dust Fighter 90 Filter, 24x30x2 | 1   |
| DF925-0333-033 | Dust Fighter 90 Filter, 18x36x1 | 1   |



## PERMANENT AIR FILTERS

### Allergy Gold®



#### Washable & reusable electrostatic air filter

The Allergy Gold is engineered to capture large airborne pollen, mold spores, and house dust while allowing adequate air flow for today's high SEER equipment. The Allergy Gold is 100% washable and reusable, so it is good for the outdoor environment too.

- 90% Peak Arrestance
- 89% Average Arrestance
- .12" Initial Resistance at 1200 CFM
- 85 grams Dust Holding Capacity at .5" w.g.
- 125 grams Dust Holding Capacity at 1" w.g.



| Code           | Description                    | Qty |
|----------------|--------------------------------|-----|
| DF925-0403-002 | Filt Perm Allergy Gold 10x10x1 | 1   |
| DF925-0403-003 | Filt Perm Allergy Gold 10x20x1 | 1   |
| DF925-0403-004 | Filt Perm Allergy Gold 10x24x1 | 1   |
| DF925-0403-005 | Filt Perm Allergy Gold 10x30x1 | 1   |
| DF925-0403-006 | Filt Perm Allergy Gold 12x12x1 | 1   |
| DF925-0403-007 | Filt Perm Allergy Gold 12x20x1 | 1   |
| DF925-0403-008 | Filt Perm Allergy Gold 12x24x1 | 1   |
| DF925-0403-009 | Filt Perm Allergy Gold 12x25x1 | 1   |
| DF925-0403-010 | Filt Perm Allergy Gold 12x30x1 | 1   |
| DF925-0403-011 | Filt Perm Allergy Gold 12x36x1 | 1   |
| DF925-0403-012 | Filt Perm Allergy Gold 14x14x1 | 1   |
| DF925-0403-013 | Filt Perm Allergy Gold 14x20x1 | 1   |
| DF925-0403-014 | Filt Perm Allergy Gold 14x24x1 | 1   |
| DF925-0403-015 | Filt Perm Allergy Gold 14x25x1 | 1   |
| DF925-0403-016 | Filt Perm Allergy Gold 14x30x1 | 1   |
| DF925-0403-017 | Filt Perm Allergy Gold 15x20x1 | 1   |
| DF925-0403-018 | Filt Perm Allergy Gold 15x25x1 | 1   |
| DF925-0403-019 | Filt Perm Allergy Gold 16x16x1 | 1   |
| DF925-0403-020 | Filt Perm Allergy Gold 16x20x1 | 1   |
| DF925-0403-021 | Filt Perm Allergy Gold 16x24x1 | 1   |

| Code           | Description                        | Qty |
|----------------|------------------------------------|-----|
| DF925-0403-022 | Filt Perm Allergy Gold 16x25x1     | 1   |
| DF925-0403-023 | Filt Perm Allergy Gold 16x30x1     | 1   |
| DF925-0403-025 | Filt Perm Allergy Gold 16x36x1     | 1   |
| DF925-0403-026 | Filt Perm Allergy Gold 18x18x1     | 1   |
| DF925-0403-027 | Filt Perm Allergy Gold 18x20x1     | 1   |
| DF925-0403-028 | Filt Perm Allergy Gold 18x24x1     | 1   |
| DF925-0403-029 | Filt Perm Allergy Gold 18x25x1     | 1   |
| DF925-0403-030 | Filt Perm Allergy Gold 18x30x1     | 1   |
| DF925-0403-031 | Filt Perm Allergy Gold 18x36x1     | 1   |
| DF925-0403-033 | Filt Perm Allergy Gold 20x20x1     | 1   |
| DF925-0403-034 | Filt Perm Allergy Gold 20x24x1     | 1   |
| DF925-0403-035 | Filt Perm Allergy Gold 20x25x1     | 1   |
| DF925-0403-036 | Filt Perm Allergy Gold 20x30x1     | 1   |
| DF925-0403-038 | Filt Perm Allergy Gold 21x21x1     | 1   |
| DF925-0403-039 | Filt Perm Allergy Gold 24x24x1     | 1   |
| DF925-0403-040 | Filt Perm Allergy Gold 24x30x1     | 1   |
| DF925-0403-041 | Filt Perm Allergy Gold 25x25x1     | 1   |
| DF925-0403-047 | Filt Perm Allergy Gold ADJ 20x25x1 | 1   |
| DF925-0403-048 | Filt Perm Allergy Gold ADJ 24x30x1 | 1   |

## PERMANENT AIR FILTERS

### MAXaire® Gold



#### Low air resistance electrostatic air filter

Today's high efficiency heat pumps and air conditioners require proper air flow. Without proper air flow, systems become inefficient, or in some cases may require major repairs. Consequently, electrostatic air filters must have arrestance to keep dust and other pollutants from accumulating on the coils and in the air. The MAXaire Gold electrostatic air filter has this special combination. It provides high arrestance at an industry leading 0.08" initial resistance.

- 81% Peak Arrestance
- 78% Average Arrestance
- .08 Initial Resistance at 1200 CFM
- 140 grams Dust Holding Capacity at .5 w.g.
- 170 grams Dust Holding Capacity at 1 w.g.




| Code           | Description                    | Qty |
|----------------|--------------------------------|-----|
| DF925-0420-001 | Filt permanent MAXaire 10x10x1 | 1   |
| DF925-0420-002 | Filt permanent MAXaire 10x20x1 | 1   |
| DF925-0420-003 | Filt permanent MAXaire 10x24x1 | 1   |
| DF925-0420-004 | Filt permanent MAXaire 10x30x1 | 1   |
| DF925-0420-005 | Filt permanent MAXaire 12x12x1 | 1   |
| DF925-0420-006 | Filt permanent MAXaire 12x20x1 | 1   |
| DF925-0420-007 | Filt permanent MAXaire 12x24x1 | 1   |
| DF925-0420-009 | Filt permanent MAXaire 12x30x1 | 1   |
| DF925-0420-011 | Filt permanent MAXaire 14x14x1 | 1   |
| DF925-0420-012 | Filt permanent MAXaire 14x20x1 | 1   |
| DF925-0420-013 | Filt permanent MAXaire 14x24x1 | 1   |
| DF925-0420-014 | Filt permanent MAXaire 14x25x1 | 1   |
| DF925-0420-015 | Filt permanent MAXaire 14x30x1 | 1   |
| DF925-0420-016 | Filt permanent MAXaire 15x20x1 | 1   |
| DF925-0420-018 | Filt permanent MAXaire 16x16x1 | 1   |
| DF925-0420-019 | Filt permanent MAXaire 16x20x1 | 1   |
| DF925-0420-020 | Filt permanent MAXaire 16x24x1 | 1   |

| Code           | Description                    | Qty |
|----------------|--------------------------------|-----|
| DF925-0420-021 | Filt permanent MAXaire 16x25x1 | 1   |
| DF925-0420-022 | Filt permanent MAXaire 16x30x1 | 1   |
| DF925-0420-023 | Filt permanent MAXaire 16x32x1 | 1   |
| DF925-0420-024 | Filt permanent MAXaire 16x36x1 | 1   |
| DF925-0420-025 | Filt permanent MAXaire 18x18x1 | 1   |
| DF925-0420-026 | Filt permanent MAXaire 18x20x1 | 1   |
| DF925-0420-027 | Filt permanent MAXaire 18x24x1 | 1   |
| DF925-0420-029 | Filt permanent MAXaire 18x30x1 | 1   |
| DF925-0420-032 | Filt permanent MAXaire 20x20x1 | 1   |
| DF925-0420-033 | Filt permanent MAXaire 20x24x1 | 1   |
| DF925-0420-034 | Filt permanent MAXaire 20x25x1 | 1   |
| DF925-0420-035 | Filt permanent MAXaire 20x30x1 | 1   |
| DF925-0420-038 | Filt permanent MAXaire 24x24x1 | 1   |
| DF925-0420-039 | Filt permanent MAXaire 24x30x1 | 1   |
| DF925-0420-040 | Filt permanent MAXaire 25x25x1 | 1   |
| DF925-0421-001 | MAXaire Adj. Filter 20x25x1    | 1   |
| DF925-0421-002 | MAXaire Adj. Filter 24x30x1    | 1   |

## PERMANENT AIR FILTERS

### EnviroGREEN™ 8 Pleat

MERV 8 reusable pleated air filter



The first MERV 8 reusable pleated filter, EnviroGREEN 8 Pleat combines the high efficiency filtration of the throwaway type pleated filter, with the environmental consciousness of a permanent, washable type air filter. Its reusable, washable pleated filter means you will not need to throw another filter into your local landfill for 5 years.

The anodized aluminum frame is guaranteed for life and is designed for easy, "no tools" access to the reusable V-Clean filter media.

- First reusable, washable, MERV 8 pleated filter
- .17" w.g. Initial Resistance
- 100% Recyclable
- Lifetime anodized aluminum frame
- Proprietary asymmetrical "V-Clean" filter core technology is made from completely recyclable materials
- "No tools required" frame design allows for quick removal of the proprietary V-Clean filter core for deep cleaning
- Warranty: 5-yr limited on filter core



| Code    | Description                          | Qty | Code    | Description                         | Qty |
|---------|--------------------------------------|-----|---------|-------------------------------------|-----|
| DF07500 | Filter EnviroGREEN 8 Pleat 10x10     | 1   | DF07532 | Filter EnviroGREEN 8 Pleat 20x24    | 1   |
| DF07506 | Filter EnviroGREEN 8 Pleat 12x24     | 1   | DF07533 | Filter EnviroGREEN 8 Pleat 20x25    | 1   |
| DF07509 | Replacement pads EnviroGREEN 8 Pleat | 1   | DF07536 | Filter EnviroGREEN 8 Pleat 24x24    | 1   |
| DF07510 | Filter EnviroGREEN 8 Pleat 14x14     | 1   | DF07538 | Filter EnviroGREEN 8 Custom         | 1   |
| DF07512 | Filter EnviroGREEN 8 Pleat 14x24     | 1   | DF07539 | Filter EnviroGREEN 8 Pleat Custom   | 1   |
| DF07514 | Filter EnviroGREEN 8 Pleat 14x30     | 1   | DF07532 | EnviroGREEN 8 Pleated Filter, 20x24 | 1   |
| DF07518 | Filter EnviroGREEN 8 Pleat 16x20     | 1   | DF07533 | EnviroGREEN 8 Pleated Filter, 20x25 | 1   |
| DF07519 | Filter EnviroGREEN 8 Pleat 16x24     | 1   | 89134   | EnviroGREEN 8 Pleated Filter, 20x30 | 1   |
| DF07520 | Filter EnviroGREEN 8 Pleat 16x25     | 1   | DF07536 | EnviroGREEN 8 Pleated Filter, 24x24 | 1   |
| DF07531 | Filter EnviroGREEN 8 Pleat 20x20     | 1   |         |                                     |     |



## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Sixteen

#### Premium MERV 16 media air cleaner

| Code    | Description                             | Qty |
|---------|---|-----|
| DF08611 | DF Sixteen 3-Ton                        | 1   |
| DF08610 | DF Sixteen 5-Ton                        | 1   |
| DF08600 | DF Sixteen 3-Ton Replacement Filter Kit | 1   |
| DF08601 | DF Sixteen 5-Ton Replacement Filter Kit | 1   |

#### FEATURES

- Superior in capturing household allergens, as well as fine smoke particles and bacteria as small as 0.3 microns
- Long lasting filters utilize up to 280 sq.ft of media and for up to 3 years
- Best performing pressure drop for lower energy consumption, and longer equipment life
- SEER 2 compliant
- Corrosion-resistant materials, Galvanized and painted panels, ABS plastic frame corners, and aluminum filter rails, 6063-T5 aluminum extrusions
- 3 ton model: 0.13" w.c. @ 1200 CFM  
5 ton model: 0.18" w.c. @ 2000 CFM
- Ships in a compact, knock down package and field assembles in minutes for access to the tightest installation locations

**APPLICATION** Light commercial • Engineered to seamlessly integrate into the return air stream of upflow, horizontal, attic, and basement HVAC systems.

**RECOMMENDED FOR** • HVAC systems • Whole home air filtration • Reducing dust, dander, odors and other allergens







## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Right Angle MAC

#### Media air cleaner

| Code    | Description                | Qty |
|---------|----------------------------|-----|
| DF20060 | 1625 Right Angle Box Unit  | 1   |
| DF20061 | 2025 Right Angle Media ACL | 1   |

#### FEATURES

- MERV 11 performance
- Integrated 90° duct transition
- Includes adapter plate to fit different duct and equipment opening sizes to suit almost any application
- The filter access door is easily reversible to fit left-sided or right-sided return applications
- Easy filter size identification and quick filter media replacement
- Compatible with Dust Free® Furnace Riser for improved static pressure
- Sturdy 22-gauge painted steel cabinet.

**APPLICATION** • Dust Free's Right Angle Media Air Cleaner is the solution for media air cleaners that normally require a 90° transition to fit vertical furnace installations. The media air cleaner includes a MERV 11 filter that traps significantly more airborne particles than traditional disposable fiberglass filters

**RECOMMENDED FOR** • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Trapping household dust, pollen, and other allergens



### RNC MAC

#### Media air cleaner cabinet

| Code    | Description            | Qty |
|---------|------------------------|-----|
| DF20200 | RNC 2020 Media Cabinet | 1   |
| DF20201 | RNC 1628 Media Cabinet | 1   |
| DF20202 | RNC 2028 Media Cabinet | 1   |

#### FEATURES

- Tight cabinet fit ensuring minimal air bypass
- Heavy duty door designed for minimal air loss
- Quick and easy filter changes
- High quality 22-gauge galvanized steel
- Reversible air flow – horizontal or vertical

**APPLICATION** • Residential and Commercial

**RECOMMENDED FOR** • New construction media air cleaner without filters





## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Platform MAC

#### Platform MAC air cleaner

| Code    | Description                                       | Qty |
|---------|---|-----|
| DF12140 | Dust Free Platform MAC 23" x 33"                  | 1   |
| DF12141 | Dust Free Platform MAC 23" x 40"                  | 1   |
| DF12142 | Dust Free Platform MAC 28" x 33"                  | 1   |
| DF12143 | Dust Free Platform MAC 28" x 40"                  | 1   |
| DF11092 | Merv 13 Carbon Pleat Filter Replacement 20" x 25" | 1   |
| DF11091 | Merv 13 Carbon Pleat Filter Replacement 20" x 20" | 1   |
| DF12589 | MAC 11 Replacement Filter 19.69" x 24.69" x 4.38" | 1   |
| DF12588 | MAC 11 Replacement Filter 19.94" x 19.69" x 4.38" | 1   |


**APPLICATION** • The Dust Free Platform MAC air cleaner is a 2-in-1 solution that provides MERV 11 to MERV 13 level filtration while saving space and installation time. It features a 90° duct transition for vertical, bottom air-return setups in tight areas. Thumb latches allow for quick filter access and accommodates tricky installs. Constructed from galvanized steel, ensuring long-lasting performance.

**RECOMMENDED FOR** • The industry's only compact, knockdown, system transition with a true access door, large enough to allow for proper inspections and maintenance.

#### FEATURES

- **HIGH EFFICIENCY:** MERV 11-13 filtration provides high-level air filtration to capture a wide range of airborne contaminants.
- **Space-Saving Design:** Features a 90° duct transition that is ideal for vertical, bottom air-return setups in compact areas.
- **DURABLE VERSATILITY:** rigidly constructed from galvanized steel and quick access doors allow for filter access to either side of the unit.





## COIL CLEANERS - EVAPORATOR

### Coil-Cure™

Strong disinfectant, self-rinsing coil cleaner



| Code  | Description    | Qty |
|-------|----------------|-----|
| 11070 | 18 oz. Aerosol | 12  |

#### FEATURES

- EPA registered
- Disinfects against Canine Parvovirus
- Disinfects against Legionella pneumophila
- Effective via AOAC methodology against a wide variety of organisms
- Controls mold and mildew
- Cleans & deodorizes - No rinsing required
- Cuts grease and grime without scrubbing

**APPLICATION** • Non-abrasive, one-step disinfectant cleaner designed specifically for HVAC equipment in homes, nursing homes, institutions, offices, schools, motels and hotels.

#### RECOMMENDED FOR

- Disinfecting and cleaning A/C evaporator coils
- HVAC Catchpans • Floors • Walls
- Table tops

Coil-Cure has been added to the EPA list N as an EPA registered disinfectant with emerging viral pathogens AND human coronavirus claims for use against SARS-CoV-2.

EPA Reg. No. 44446-23-51219





A CSW Industrials Company

## HVAC DIVISION

RectorSeal provides industry-leading digital and print support materials for its extensive chemical and mechanical solutions that include:

- Technical Product Information
- Marketing Support Materials
- Engaging Product Demonstration Videos
- Informative SDS and Product Data Sheets
- On-demand and Live Training and Webinars
- Learning Management System (LMS) support via RectorSeal Academy
- Informative Distributor and Sales Representative Tools
- Industry-related Tradeshow and Events Information

For complete details, visit [www.rectorseal.com](http://www.rectorseal.com)

For the latest product enhancements, news, and updated information, please follow RectorSeal's social media channels.



[facebook.com/rectorseal](https://facebook.com/rectorseal)



[linkedin.com/company/rectorseal](https://linkedin.com/company/rectorseal)



[x.com/rectorseal](https://x.com/rectorseal)



[instagram/rectorseal](https://instagram/rectorseal)



[youtube.com/rectorsealcorp](https://youtube.com/rectorsealcorp)

All information is believed to be current at the time of printing, but our policy is one of continuous development. RectorSeal makes no warranties, express or implied, as to its accuracy. RectorSeal reserves the right to discontinue, update or change the information at any time without notice or without incurring obligations.

**RectorSeal®** • 2601 Spenwick Drive, Houston, TX 77055, USA • 713-263-8001 • [rectorseal.com](http://rectorseal.com)

RectorSeal®, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2024 RectorSeal. All rights reserved. R50846 09/24