

ApolloPress tee PxPxP 1/2"



group: 811 **article:** 10077739 **category:** fittings

The ApolloPress® 811 Small Diameter Press Tee features a lead free dezincification resistant copper body and an EPDM o-ring. ApolloPress® products are manufactured utilizing proven ASTM materials and standards.

- Lead Free Construction
- Leak Before Press® Technology

this article is part of a product group (811) that contains a total of 4 items

[view all 4 items](#) 

applications

potable water, heating, cooling, steam, compressed air, sprinkler, vacuum

segments

fire protection , utility , industry

approvals

CRN , FM , IAPMO/ANSI/CAN Z1117 , ICC LC1002 , NSF/ANSI 372 , NSF/ANSI 61 , UL , ULc

specifications - characteristics

color	copper
materials	copper (CW024A (UNS C12200))
finishing	none
shape	T-piece (90°)
connection type	press (V), Press (V)
sealing	EPDM

specifications - general

product group	fittings
ETIM class	ECO03025 Fitting with 3 connections
country of origin	United States
brand	Apollo
series	ApolloPress
product type	811
unsps	40174612

specifications - product info


article	ApolloPress tee PxPxP 1/2"
article number with gtin	10077739 (00683264777392)
product number with gtin	10077739 (00683264777392)
manufacturer	Aalberts integrated piping systems Americas, Inc. (Apollo)
item group	811 - ApolloPress tee (P x P x P)
size	1/2"
weight	0.2 lb
dimensions	1.78x3.04x0.95 "

specifications - technical

max operating pressure liquid	300 psi
min. medium temperature	32 °F
max medium temperature	250 °F

dimensions

d1	DN1	l1	z1	d2	DN2	l2	z2	d3	DN3	l3	z3
0.63	1/2"	1.50	0.75	0.63	1/2"	1.25	0.50	0.63	1/2"	1.50	0.75



downloads

[811 - jpg](#)

[ApolloPress Catalog - pdf](#)

[Diagram - png](#)

[ApolloPress Brochure - pdf](#)