



# LEGEND

PLUMBING • INDUSTRIAL • COMMERCIAL • HYDRONICS

## Copper Press Fittings

Price List LT-CPF0316

Effective Date: April 11, 2016



Downstream  
Thinking

It's all about Performance®

# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

Press 90° Elbow		Part No.	Size	Configuration	List Price	Bag Qty.	
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-003P	1/2"	Press x Press	3.62	10	
		450-004P	3/4"	Press x Press	6.10	10	
		450-005P	1"	Press x Press	12.22	5	
		450-006P	1-1/4"	Press x Press	24.64	1	
		450-007P	1-1/2"	Press x Press	46.60	1	
		450-008P	2"	Press x Press	64.76	1	
		90° Elbow					
			450-009P	2-1/2"	Large Press x Large Press	188.06	1
	450-010P		3"	Large Press x Large Press	236.60	1	
	450-011P		4"	Large Press x Large Press	292.71	1	
	Large Press 90° Elbow						





Press 45° Elbow							
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-023P	1/2"	Press x Press	4.21	10	
		450-024P	3/4"	Press x Press	5.17	10	
		450-025P	1"	Press x Press	16.52	5	
		450-026P	1-1/4"	Press x Press	23.67	1	
		450-027P	1-1/2"	Press x Press	38.36	1	
		450-028P	2"	Press x Press	53.67	1	
		45° Elbow					
			450-029P	2-1/2"	Large Press x Large Press	124.25	1
	450-030P		3"	Large Press x Large Press	177.48	1	
	450-031P		4"	Large Press x Large Press	246.48	1	
	Large Press 45° Elbow						

Press x Fitting 90° Street Elbow							
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-043P	1/2"	Press x Fitting	3.62	10	
		450-044P	3/4"	Press x Fitting	6.10	10	
		450-045P	1"	Press x Fitting	14.02	5	
		450-046P	1-1/4"	Press x Fitting	24.88	1	
		450-047P	1-1/2"	Press x Fitting	47.46	1	
		450-048P	2"	Press x Fitting	65.24	1	
		90° Street Elbow					
			450-049P	2-1/2"	Large Press x Fitting	195.55	1
	450-050P		3"	Large Press x Fitting	227.40	1	
	450-051P		4"	Large Press x Fitting	289.60	1	
	Large Press 90° Street Elbow						

# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

Press x Fitting 45° Street Elbow		Part No.	Size	Configuration	List Price	Bag Qty.
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-063P	1/2"	Press x Fitting	3.26	10
		450-064P	3/4"	Press x Fitting	4.82	10
		450-065P	1"	Press x Fitting	15.81	5
		450-066P	1-1/4"	Press x Fitting	22.83	1
		450-067P	1-1/2"	Press x Fitting	34.91	1
		450-068P	2"	Press x Fitting	51.75	1
45° Street Elbow						
	450-069P	2-1/2"	Large Press x Fitting	143.43	1	
	450-070P	3"	Large Press x Fitting	207.50	1	
	450-071P	4"	Large Press x Fitting	262.14	1	
Large Press 45° Street Elbow						
Press 90° Reducing Elbow						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-109P	3/4" x 1/2"	Press x Press	8.34	15
		450-113P	1" x 3/4"	Press x Press	18.90	10
Press x FNPT 90° Elbow						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-131P	1/2"	Press x FNPT	11.91	5
		450-132P	3/4"	Press x FNPT	18.93	5
		450-133P	1"	Press x FNPT	32.67	1
		450-134P	1-1/4"	Press x FNPT	55.46	1
		450-135P	1-1/2"	Press x FNPT	72.51	1
		450-136P	2"	Press x FNPT	115.11	1
Press x MNPT 90° Elbow						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-141P	1/2"	Press x MNPT	18.80	5
		450-142P	3/4"	Press x MNPT	30.05	5
		450-143P	1"	Press x MNPT	45.26	1
		450-144P	1-1/4"	Press x MNPT	61.60	1
		450-145P	1-1/2"	Press x MNPT	84.23	1
		450-146P	2"	Press x MNPT	118.98	1



# COPPER PRESS FITTINGS




EFFECTIVE DATE:

APRIL 11, 2016

800-752-2082

Press Tee	Part No.	Size	Configuration	List Price	Bag Qty.
<div>ASME B16.51</div> <div>CSA Certified</div> <div>IAPMO Certified</div> <div>NSF Listed (ANSI/NSF 61)</div> <div></div> <div>Tee</div>	450-153P	1/2"	Press x Press x Press	5.53	10
	450-154P	3/4"	Press x Press x Press	9.71	10
	450-155P	1"	Press x Press x Press	17.47	5
	450-156P	1-1/4"	Press x Press x Press	29.54	1
	450-157P	1-1/2"	Press x Press x Press	57.35	1
	450-158P	2"	Press x Press x Press	70.85	1
<div></div> <div>Large Press Tee</div>	450-159P	2-1/2"	L Press x L Press x L Press	232.34	1
	450-160P	3"	L Press x L Press x L Press	290.41	1
	450-161P	4"	L Press x L Press x L Press	407.48	1

Press Reducing Tee						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-259P	1/2" x 1/2" x 3/4"	Press x Press x Press	18.43	10
		450-190P	1/2" x 1/2" x 1"	Press x Press x Press	26.07	5
		450-250P	3/4" x 1/2" x 1/2"	Press x Press x Press	14.96	10
		450-251P	3/4" x 1/2" x 3/4"	Press x Press x Press	15.55	5
		450-208P	3/4" x 3/4" x 1/2"	Press x Press x Press	8.16	10
		450-201P	3/4" x 3/4" x 1"	Press x Press x Press	29.30	5
		450-203P	1" X 1/2" X 3/4"	Press x Press x Press	44.58	5
		450-204P	1" x 1/2" x 1"	Press x Press x Press	28.09	5
		450-205P	1" x 3/4" x 1/2"	Press x Press x Press	29.66	5
		450-206P	1" x 3/4" x 3/4"	Press x Press x Press	26.55	5
		450-207P	1" x 3/4" x 1"	Press x Press x Press	30.01	5
		450-211P	1" x 1" x 1/2"	Press x Press x Press	19.98	5
		450-212P	1" x 1" x 3/4"	Press x Press x Press	19.87	5
		450-217P	1" x 1" x 1-1/4"	Press x Press x Press	50.93	1
		450-231P	1-1/4" x 1/2" x 1-1/4"	Press x Press x Press	58.20	1
		450-232P	1-1/4" x 3/4" x 1/2"	Press x Press x Press	45.41	1
		450-233P	1-1/4" x 3/4" x 3/4"	Press x Press x Press	50.79	1
		450-234P	1-1/4" x 3/4" x 1"	Press x Press x Press	52.82	1
		450-235P	1-1/4" x 3/4" x 1-1/4"	Press x Press x Press	46.73	1
		450-236P	1-1/4" x 1" x 1/2"	Press x Press x Press	36.22	1
		450-237P	1-1/4" x 1" x 3/4"	Press x Press x Press	29.54	1
		450-238P	1-1/4" x 1" x 1"	Press x Press x Press	31.80	1
		450-214P	1-1/4" x 1-1/4" x 1/2"	Press x Press x Press	24.76	1
		450-215P	1-1/4" x 1-1/4" x 3/4"	Press x Press x Press	27.02	1
		450-216P	1-1/4" x 1-1/4" x 1"	Press x Press x Press	28.09	1
		450-253P	1-1/2" x 1" x 3/4"	Press x Press x Press	72.69	1
		450-254P	1-1/2" x 1" x 1"	Press x Press x Press	81.13	1
		450-256P	1-1/2" x 1" x 1-1/2"	Press x Press x Press	89.01	1
		450-258P	1-1/2" x 1-1/4" x 3/4"	Press x Press x Press	62.37	1
		450-260P	1-1/2" x 1-1/4" x 1"	Press x Press x Press	72.30	1
		450-261P	1-1/2" x 1-1/4" x 1-1/4"	Press x Press x Press	53.41	1
		450-218P	1-1/2" x 1-1/2" x 1/2"	Press x Press x Press	61.05	1
		450-219P	1-1/2" x 1-1/2" x 3/4"	Press x Press x Press	50.93	1

# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

## Press Reducing Tee (cont.)

ASME B16.51  
CSA Certified  
IAPMO Certified  
NSF Listed (ANSI/NSF 61)



Tee

Part No.	Size	Configuration	List Price	Bag Qty.
450-220P	1-1/2" x 1-1/2" x 1"	Press x Press x Press	51.86	1
450-221P	1-1/2" x 1-1/2" x 1-1/4"	Press x Press x Press	53.67	1
450-273P	2" x 1-1/4" x 1-1/4"	Press x Press x Press	118.86	1
450-277P	2" x 1-1/2" x 3/4"	Press x Press x Press	101.91	1
450-278P	2" x 1-1/2" x 1"	Press x Press x Press	100.60	1
450-279P	2" x 1-1/2" x 1-1/4"	Press x Press x Press	103.92	1
450-280P	2" x 1-1/2" x 1-1/2"	Press x Press x Press	105.36	1
450-281P	2" x 1-1/2" x 2"	Press x Press x Press	98.08	1
450-223P	2" x 2" x 1/2"	Press x Press x Press	98.08	1
450-224P	2" x 2" x 3/4"	Press x Press x Press	82.92	1
450-225P	2" x 2" x 1"	Press x Press x Press	85.68	1
450-226P	2" x 2" x 1-1/4"	Press x Press x Press	85.68	1
450-227P	2" x 2" x 1-1/2"	Press x Press x Press	64.41	1









Large Press Tee

450-284P	2-1/2" x 3/4" x 2-1/2"	L Press x Press x L Press	344.44	1
450-285P	2-1/2" x 1" x 2-1/2"	L Press x Press x L Press	355.63	1
450-288P	2-1/2" x 1-1/4" x 2-1/2"	L Press x Press x L Press	359.87	1
450-290P	2-1/2" x 1-1/2" x 2-1/2"	L Press x Press x L Press	314.74	1
450-292P	2-1/2" x 2" x 3/4"	L Press x Press x Press	330.93	1
450-293P	2-1/2" x 2" x 1"	L Press x Press x Press	311.59	1
450-295P	2-1/2" x 2" x 1-1/2"	L Press x Press x Press	292.60	1
450-296P	2-1/2" x 2" x 2"	L Press x Press x Press	293.76	1
450-297P	2-1/2" x 2" x 2-1/2"	L Press x Press x L Press	331.11	1
450-298P	2-1/2" x 2-1/2" x 1/2"	L Press x L Press x Press	324.01	1
450-299P	2-1/2" x 2-1/2" x 3/4"	L Press x L Press x Press	324.01	1
450-300P	2-1/2" x 2-1/2" x 1"	L Press x L Press x Press	324.01	1
450-301P	2-1/2" x 2-1/2" x 1-1/4"	L Press x L Press x Press	324.01	1
450-302P	2-1/2" x 2-1/2" x 1-1/2"	L Press x L Press x Press	309.63	1
450-303P	2-1/2" x 2-1/2" x 2"	L Press x L Press x Press	272.94	1
450-304P	3" x 3/4" x 3"	L Press x Press x L Press	347.25	1
450-305P	3" x 1" x 3"	L Press x Press x L Press	367.84	1
450-306P	3" x 1-1/4" x 3"	L Press x Press x L Press	450.76	1
450-307P	3" x 1-1/2" x 3"	L Press x Press x L Press	384.17	1
450-309P	3" x 2" x 2"	L Press x Press x Press	367.55	1
450-310P	3" x 2" x 2-1/2"	L Press x Press x L Press	382.15	1
450-311P	3" x 2" x 3"	L Press x Press x L Press	387.12	1
450-316P	3" x 2-1/2" x 2"	L Press x L Press x Press	362.05	1
450-317P	3" x 2-1/2" x 2-1/2"	L Press x L Press x L Press	399.83	1
450-318P	3" x 2-1/2" x 3"	L Press x L Press x L Press	397.32	1
450-319P	3" x 3" x 1/2"	L Press x L Press x Press	352.93	1
450-320P	3" x 3" x 3/4"	L Press x L Press x Press	341.47	1
450-321P	3" x 3" x 1"	L Press x L Press x Press	341.47	1
450-322P	3" x 3" x 1-1/4"	L Press x L Press x Press	341.47	1
450-323P	3" x 3" x 1-1/2"	L Press x L Press x Press	341.47	1
450-324P	3" x 3" x 2"	L Press x L Press x Press	334.11	1
450-325P	3" x 3" x 2-1/2"	L Press x L Press x L Press	348.49	1
450-328P	4" x 3" x 2"	L Press x L Press x Press	566.46	1
450-330P	4" x 3" x 3"	L Press x L Press x L Press	555.07	1
450-332P	4" x 4" x 1/2"	L Press x L Press x Press	547.03	1
450-333P	4" x 4" x 3/4"	L Press x L Press x Press	539.74	1
450-334P	4" x 4" x 1"	L Press x L Press x Press	401.02	1
450-335P	4" x 4" x 1-1/4"	L Press x L Press x Press	487.00	1
450-336P	4" x 4" x 1-1/2"	L Press x L Press x Press	462.91	1
450-337P	4" x 4" x 2"	L Press x L Press x Press	368.84	1
450-338P	4" x 4" x 2-1/2"	L Press x L Press x L Press	380.13	1
450-339P	4" x 4" x 3"	L Press x L Press x L Press	416.69	1

# COPPER PRESS FITTINGS





EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082



Press x FNPT Tee		Part No.	Size	Configuration	List Price	Bag Qty.
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-373P	1/2"	Press x Press x FNPT	18.18	5
		450-377P	3/4"	Press x Press x FNPT	30.88	5
Press x FNPT Reducing Tee						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-376P	3/4" x 1/2"	Press x Press x FNPT	24.67	5
		450-380P	1" x 1/2"	Press x Press x FNPT	31.56	5
		450-381P	1" x 3/4"	Press x Press x FNPT	36.65	5
Press Cap						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-483P	1/2"	Press	6.95	10
		450-484P	3/4"	Press	11.71	10
		450-485P	1"	Press	18.06	5
		450-486P	1-1/4"	Press	20.44	1
		450-487P	1-1/2"	Press	31.68	1
		450-488P	2"	Press	38.49	1
			450-489P	2-1/2"	Large Press	122.96
		450-490P	3"	Large Press	155.64	1
		450-491P	4"	Large Press	207.38	1
Press Coupling w/ Stop						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-503P	1/2"	Press x Press	3.26	10
		450-504P	3/4"	Press x Press	4.94	10
		450-505P	1"	Press x Press	9.95	5
		450-506P	1-1/4"	Press x Press	12.34	1
		450-507P	1-1/2"	Press x Press	22.98	1
		450-508P	2"	Press x Press	29.30	1
			450-509P	2-1/2"	Large Press x Large Press	93.68
		450-510P	3"	Large Press x Large Press	119.29	1
		450-511P	4"	Large Press x Large Press	165.63	1

# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

Press Reducing Coupling		Part No.	Size	Configuration	List Price	Bag Qty.
<div>ASME B16.51</div> <div>CSA Certified</div> <div>IAPMO Certified</div> <div>NSF Listed (ANSI/NSF 61)</div> <div></div> <div>Reducing Coupling</div>	450-529P	3/4" x 1/2"	Press x Press	14.73	10	
	450-532P	1" x 1/2"	Press x Press	25.71	10	
	450-533P	1" x 3/4"	Press x Press	16.90	10	
	450-536P	1-1/4" x 3/4"	Press x Press	38.00	1	
	450-537P	1-1/4" x 1"	Press x Press	24.52	1	
	450-540P	1-1/2" x 3/4"	Press x Press	45.41	1	
	450-541P	1-1/2" x 1"	Press x Press	40.76	1	
	450-542P	1-1/2" x 1-1/4"	Press x Press	36.10	1	
	450-545P	2" x 3/4"	Press x Press	42.42	1	
	450-546P	2" x 1"	Press x Press	61.76	1	
	450-547P	2" x 1-1/4"	Press x Press	51.39	1	
	450-548P	2" x 1-1/2"	Press x Press	40.64	1	
<div></div> <div>Large Press Reducing Coupling</div>	450-549P	2-1/2" x 1"	L Press x Press	175.34	1	
	450-550P	2-1/2" x 1-1/4"	L Press x Press	182.31	1	
	450-551P	2-1/2" x 1-1/2"	L Press x Press	184.21	1	
	450-552P	2-1/2" x 2"	L Press x Press	185.40	1	
	450-553P	3" x 1-1/2"	L Press x Press	203.84	1	
	450-554P	3" x 2"	L Press x Press	204.35	1	
	450-555P	3" x 2-1/2"	L Press x LPress	239.58	1	
	450-557P	4" x 2"	L Press x Press	254.15	1	
	450-558P	4" x 2-1/2"	L Press x LPress	280.60	1	
	450-559P	4" x 3"	L Press x LPress	308.91	1	



Press Coupling						
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-583P	1/2"	Press x Press	7.81	10
		450-584P	3/4"	Press x Press	10.66	10
		450-585P	1"	Press x Press	13.05	5
		450-586P	1-1/4"	Press x Press	19.87	1
		450-587P	1-1/2"	Press x Press	30.61	1
		450-588P	2"	Press x Press	35.63	1
		Coupling				
	450-589P	2-1/2"	Large Press x Large Press	93.18	1	
	450-590P	3"	Large Press x Large Press	120.32	1	
	450-591P	4"	Large Press x Large Press	165.40	1	
	Large Press Coupling					





# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

Fitting x Press Reducing Coupling	Part No.	Size	Configuration	List Price	Bag Qty.
<p>ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)</p>  <p>Fitting Reducing Coupling</p>	450-420P	3/4" x 1/2"	Fitting x Press	3.62	10
	450-423P	1" x 1/2"	Fitting x Press	9.25	10
	450-425P	1" x 3/4"	Fitting x Press	9.60	10
	450-426P	1-1/4" x 1/2"	Fitting x Press	11.15	5
	450-427P	1-1/4" x 3/4"	Fitting x Press	11.37	5
	450-428P	1-1/4" x 1"	Fitting x Press	12.80	5
	450-429P	1-1/2" x 1/2"	Fitting x Press	32.16	5
	450-430P	1-1/2" x 3/4"	Fitting x Press	19.01	1
	450-431P	1-1/2" x 1"	Fitting x Press	18.79	1
	450-432P	1-1/2" x 1-1/4"	Fitting x Press	18.91	1
	450-433P	2" x 1/2"	Fitting x Press	40.97	1
	450-434P	2" x 3/4"	Fitting x Press	41.37	1
	450-435P	2" x 1"	Fitting x Press	21.30	1
	450-436P	2" x 1-1/4"	Fitting x Press	26.07	1
	450-437P	2" x 1-1/2"	Fitting x Press	25.35	1
	450-442P	3" x 1-1/4"	Fitting x Press	148.16	1
	450-443P	3" x 1-1/2"	Fitting x Press	140.80	1
	450-444P	3" x 2"	Fitting x Press	137.02	1
	450-445P	3" x 2-1/2"	Fitting x Press	141.14	1
	450-447P	4" x 2"	Fitting x Press	157.70	1
 <p>Fitting x Large Press Reducing Coupling</p>	450-448P	4" x 2-1/2"	Fitting x Large Press	172.30	1
	450-449P	4" x 3"	Fitting x Large Press	182.10	1

Press x FNPT Adapter					
<p>ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)</p> 	450-703P	1/2"	Press x FNPT	5.13	10
	450-704P	3/4"	Press x FNPT	8.33	10
	450-705P	1"	Press x FNPT	15.35	10
	450-706P	1-1/4"	Press x FNPT	34.62	1
	450-707P	1-1/2"	Press x FNPT	50.32	1
	450-708P	2"	Press x FNPT	85.41	1



Press x FNPT Reducing Adapter					
<p>ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)</p> 	450-726P	1/2" x 3/4"	Press x FNPT	10.51	10
	450-731P	3/4" x 1/2"	Press x FNPT	7.68	10
	450-733P	1" x 1/2"	Press x FNPT	26.69	10
	450-734P	1" x 3/4"	Press x FNPT	27.08	10
	450-735P	1" x 1-1/4"	Press x FNPT	28.43	10
	450-737P	1-1/4" x 1"	Press x FNPT	34.31	1
	450-738P	1-1/4" x 1-1/2"	Press x FNPT	46.31	1
	450-739P	1-1/2" x 1-1/4"	Press x FNPT	48.31	1





# COPPER PRESS FITTINGS



EFFECTIVE DATE:  
APRIL 11, 2016  
800-752-2082

Press x MNPT Adapter		Part No.	Size	Configuration	List Price	Bag Qty.
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)	 <p>MNPT Adapter</p>	450-753P	1/2"	Press x MNPT	4.26	10
		450-754P	3/4"	Press x MNPT	7.68	10
		450-755P	1"	Press x MNPT	14.07	10
		450-756P	1-1/4"	Press x MNPT	30.78	1
		450-757P	1-1/2"	Press x MNPT	43.16	1
		450-758P	2"	Press x MNPT	83.08	1
	 <p>Large Press x MNPT Adapter</p>	450-759P	2 1/2"	L Press x MNPT	186.06	1
		450-760P	3"	L Press x MNPT	236.60	1
		450-761P	4"	L Press x MNPT	273.87	1

Press x MNPT Reducing Adapter		Part No.	Size	Configuration	List Price	Bag Qty.
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-780P	1/2" x 3/4"	Press x MNPT	8.33	10
		450-784P	3/4" x 1/2"	Press x MNPT	8.73	10
		450-785P	3/4" x 1"	Press x MNPT	19.54	10
		450-787P	1" x 3/4"	Press x MNPT	21.92	10
		450-788P	1" x 1-1/4"	Press x MNPT	27.30	10
		450-791P	1-1/4" x 1"	Press x MNPT	31.44	1
		450-792P	1-1/4" x 1-1/2"	Press x MNPT	33.57	1
		450-794P	1-1/2" x 1-1/4"	Press x MNPT	42.18	1
		450-795P	1-1/2" x 2"	Press x MNPT	92.35	1
		450-797P	2" x 1-1/2"	Press x MNPT	76.58	1

Replacement O-Ring		Part No.	Size	Configuration	List Price	Bag Qty.
ASME B16.51 CSA Certified IAPMO Certified NSF Listed (ANSI/NSF 61)		450-991P	1/2"	Replacement EPDM O-Ring	1.76	10
		450-992P	3/4"	Replacement EPDM O-Ring	1.76	10
		450-993P	1"	Replacement EPDM O-Ring	2.07	10
		450-994P	1"-1/4"	Replacement EPDM O-Ring	2.07	10
		450-995P	1-1/2"	Replacement EPDM O-Ring	2.93	1
		450-996P	2"	Replacement EPDM O-Ring	2.93	1
		450-997P	2-1/2"	Replacement EPDM O-Ring	6.67	1
		450-998P	3"	Replacement EPDM O-Ring	7.74	1
		450-999P	4"	Replacement EPDM O-Ring	9.76	1



Naturally Lead Free  
Suitable For Potable Water



## **LegendPress™ P-200 and P-200NL Series Ball Valves**

The P-200 series of ball valves offer the same reliability you've come to expect from the T/S-1001, the preferred ball valve for thousands of contractors. The P-200 and P-200NL have the same dual Viton® O-ring stem design which requires no maintenance. LegendPress™ ball valves are available in traditional and no lead forged brass. The press sockets of the P-200 and P-200NL have greater depth for stabilizing the copper tube when pressing. Each press socket has two EPDM O-rings for added assurance that a seal is made when pressed. The LegendPress™ P-200NL is available in sizes from ½" to 4".

## **LegendPress™ P-451NL Series Check Valves**

The P-451NL swing check valve is the first to integrate the press end into the body of the valve. This uni-body design eliminates the more costly alternative of using MNPT x Press adapters in a threaded swing check valve, reducing installation time, material cost, and eliminating potential leak paths. The LegendPress™ P-451NL press x press swing check valve is available in sizes ½" to 2".

LegendPress™ Valves are featured in the Legend Wholesale Price List, LT-WS and at [www.legendvalve.com](http://www.legendvalve.com)





300 N. Opdyke Rd.

Auburn Hills, MI 48326

Phone: 800-752-2082

Fax: 800-835-4457

web: [www.legendvalve.com](http://www.legendvalve.com)

email: [service@legendvalve.com](mailto:service@legendvalve.com)



LT-LT-CPF0316