

AEL-30

Thinline Louver

Architectural Decorative Louver

RELIABLE

APPLICATION

The AEL-30 louver is a 1.122" deep thinline stationary louver that is primarily used for PTAC, glazing mechanical screen and other aesthetic applications where water penetration is not a concern.

STANDARD CONSTRUCTION

Frame	Extruded aluminum; 6063-T6;
	30° architectural decorative louver face and end views for illustration purposes only.
Blades	A as required, not to exceed 120" (3048) per section.
	B as required, not to exceed 90" (2286) per section.
Blades	Standard blade thickness 0.065" and blade spacing .775" (19)
	with a variety of perimeter frames available.
Brace Bars	Brace bar as required, not to exceed 16" (406).

*Consult Reliable for larger sizes/multiple sections.

FEATURES

- Thin depth for limited space applications
- High free area
- Availability with a variety of frame styles
- Corrosion resistant, all aluminum construction
- Outstanding durability and low maintenance

VARIATIONS



Variations to the basic design of the louver are available at additional cost. They include:

- ▢ See AEL frames for perimeter frame options
- ▢ 1" (25) blade spacing
- ▢ Exterior mounting holes as required
- ▢ Aluminum flat sheet
- ▢ Blank off with 1" (25) insulation
- ▢ Blank off with 2" (51) insulation
- ▢ Blank off same color as louver contact factory for special color options


FINISH TYPE

- ▢ Prime coat
- ▢ 50% BE SMP
- ▢ Pearledize 50 & 70
- ▢ 70% PVDF
- ▢ Clear and color anodize


*Consult Reliable for other special requirements.



FRAME-LESS




CHANNEL FRAME




GLAZING FRAME

CHANNEL TYPE FRAMES












FLANGE TYPE FRAMES



Any combination of AEL louvers and frames for use with wall and window sections.

NOTE: Dimensions in inches, parenthesis () indicate millimeters

GLAZING TYPE FRAMES



Any combination of AEL louvers and frames for use with wall and window sections.

NOTE: Dimensions in inches, parenthesis () indicate millimeters

LINKS TO IMPORTANT DOCUMENTS

Document Title

Finishes and Color Guide

Limited Warranty Document

RELIABLE

1300 Enterprise Road, P.O. Box
580, Geneva, Alabama 36340
Tel: 334-684-3621
Tel: 800-624-3914
Fax: 800-508-1469