

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSX130181(B,C,D,E)*	VSX130181(A,B,D,E)*	ASX130181(B,C,D)*	ANX130181A*	All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
		ANX130181A*			0.051	B1789851	TX2N4A/TXV-V24	1,3
		ANX130181B*			0.052	B1789852	TX2N4A/TXV-V24	1,3
GSX130241(B,C,D)*	VSX130241(A,B,D)*	ASX130241(B,C)*		All other AHRI Matches All CA*FA*****6 Matches	0.057	B1789857	TX2N4A/TXV-V24	2,3
					0.059	B1789859	TX2N4A/TXV-V24	1,3
	VSX130241E*			All other AHRI Matches All CA*FA*****6 Matches	0.055	B1789855	TX2N4A/TXV-V24	2,3
					0.057	B1789857	TX2N4A/TXV-V24	1,3
		ANX130241A*			0.057	B1789857	TX2N4A/TXV-V24	1,3
				All AHRI Matches	0.055	B1789855	TX2N4A/TXV-V24	1,3
GSX130241E*		ASX130241B*		All other AHRI Matches All CA*FA*****6 Matches	0.055	B1789855	TX2N4A/TXV-V24	2,3
					0.057	B1789857	TX2N4A/TXV-V24	1,3
GSX130241F*	VSX130241F*			All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSX130242A*				A24-00-2R*	0.055	B1789855	TX2N4A/TXV-V24	1,3
GSX130242XCA*				XRUF25B24A*	0.055	B1789855	TX2N4A/TXV-V24	1,3
GSX130242XKA*				XRUF25B24A*	0.055	B1789855	TX2N4A/TXV-V24	1,3
GSX130301(B,D)*	VSX130301(A,D)*	ASX130301(B,C)*		All other AHRI Matches All CA*FA*****6 Matches	0.061	B1789861	TX3N4/TXV-V36	1,3
					0.063	B1789863	TX3N4/TXV-V36	2,3
		ANX130301A*			0.061	B1789861	TX3N4/TXV-V36	1,3
GSX130301L*	VSX130301L*	ANX130301B*		All other AHRI Matches All CA*FA*****6 Matches	0.067	B1789867	TX3N4/TXV-V36	1,3
					0.065	B1789865	TX3N4/TXV-V36	2,3
GSX130361(B,E)*	VSX130361(A,E)*	ASX130361(B,C,D)*		All AHRI Matches	0.07	B1789870	TX3N4/TXV-V36	1,3
GSX130361D*	VSX130361D*			All AHRI Matches	0.067	B1789867	TX3N4/TXV-V36	1,3
		ANX130361A*			0.07	B1789870	TX3N4/TXV-V36	1,3
GSX130362A*				A36-00-2R*	0.065	B1789865	TX3N4/TXV-V36	1,3
GSX130362XCA*				XRUF37C24A*	0.065	B1789865	TX3N4/TXV-V36	1,3
GSX130362XKA*				XRUF37C24A*	0.072	B1789872	TX3N4/TXV-V36	1,3
GSX130363A*				All AHRI Matches	0.07	B1789870	TX3N4/TXV-V36	1,3
GSX130365A*				A36-00-2R*	0.065	B1789865	TX3N4/TXV-V36	1,3



(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSX130365XCA*				XRUF37C24A*	0.065	B1789865	TX3N4/TXV-V36	1,3
GSX130365XKA*				XRUF37C24A*	0.072	B1789872	TX3N4/TXV-V36	1,3
GSX130421B*	VSX130421(A,B)*	ASX130421(B,C)*		All other AHRI Matches All CA*FA*****6 Matches	0.076	B1789876	TX5N4/TXV-V48	1,3
		ANX130421A*			0.076	B1789876	TX5N4/TXV-V48	1,3
GSX130481B*	VSX130481A*	ASX130481(B,C)*		All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
		ANX130481A*			0.08	B1789880	TX5N4/TXV-V60	1,3
GSX130483A*				All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
GSX130484A*				All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
GSX130485A*				A48-00-2R* A50-00-2R	0.076	B1789876	TX5N4/TXV-V60	1,3
GSX130485XCA*				XRUF49D24A*	0.076	B1789876	TX5N4/TXV-V60	1,3
GSX130485XKA*				XRUF49D24A*	0.08	B1789880	TX5N4/TXV-V60	1,3
GSX130601B*	VSX130601B*	ASX130601(B,C)*		All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
		ANX130601A*		All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
GSX130603A*				All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
GSX130605A*				A60-00-2R	0.082	B1789882	TX5N4/TXV-V60	1,3
GSX130605XCA*				XRUF61D24A*	0.082	B1789882	TX5N4/TXV-V60	1,3
GSX130605XKA*				XRUF61D24A*	0.084	B1789884	TX5N4/TXV-V60	1,3
GSX130611A*	VSX130611A*	ASX130611A*		ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	TX5N4/TXV-V60	2,3 1,3
		ANX130611A*			0.086	B1789886	TX5N4/TXV-V60	1,3
GSX130613A*				ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	TX5N4/TXV-V60	2,3 1,3
GSX130604A*				All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
GSX130605A*				A60-00-2R*	0.082	B1789882	TX5N4/TXV-V60	1,3
GSX130614A*				ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	TX5N4/TXV-V60	2,3 1,3
GSX140181A*		ASX140181(B,C,D)*	SSX140181(A,B)*	AWUF31 & 32 All other AHRI Matches	0.051 0.052	B1789851 B1789852	TX2N4A/TXV-V24	2,3 1,3
		ANX140191A*		AWUF 31 & 32 All other AHRI Matches	0.051 0.053	B1789851 B1789853	TX2N4A/TXV-V24	2,3 1,3
GSX140241A*		ASX140241(B,C)*	SSX140241(A,B)*	AWUF 31 All Other AHRI Matches	0.057 0.055	B1789857 B1789855	TX2N4A/TXV-V24	2,3 1,3
		ANX140241(A,B)*		All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
		ANX140251(A,B)*		All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSX140301A*		ASX140301(B,C)*	SSX140301(A,B)*	AWUF 31 & 32 All Other AHRI Matches	0.061 0.065	B1789861 B1789865	TX3N4/TXV-V36	2,3 1,3
		ANX140301A*		AWUF 31 & 32 All other AHRI Matches	0.061 0.065	B1789861 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX140301N*	VSX140301D*	ANX140301D		AWUF 31 & 32 All CA*FA*****6 Matches All other AHRI Matches	0.065 0.065 0.067	B1789865 B1789865 B1789867	TX3N4/TXV-V36	2,3 2,3 1,3
		ANX140311A*		AWUF 31 & 32 All other AHRI Matches All CA*FA*****6 Matches	0.061 0.063 0.065	B1789861 B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3 2,3
GSX140361A*		ASX140361(B,C)*	SSX140361(A,B)*	All AHRI Matches	0.068	B1789868	TX3N4/TXV-V36	1,3
		ANX140361A*		All AHRI Matches	0.068	B1789868	TX3N4/TXV-V36	1,3
		ANX140371A*		All AHRI Matches	0.071	B1789871	TX3N4/TXV-V36	1,3
GSX140421A*		ASX140421(C,D)*	SSX140421(B,C)*	All AHRI Matches	0.07	B1789870	TX5N4/TXV-V48	1,3
		ANX140421A*		All AHRI Matches	0.074	B1789874	TX5N4/TXV-V48	1,3
GSX140481A*		ASX140481C*	SSX140481B*	All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
		ASX140481B*	SSX140481A*	All AHRI Matches	0.079	B1789879	TX5N4/TXV-V60	1,3
		ANX140481A*		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSX140601A*		ASX140601(A,B)*	SSX140601A*	All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
		ANX140601A*		All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
GSX140181K*	VSX140181A*	ASX140181K*		AWUF19 AWUF 31 & 32 All other AHRI Matches	0.049 0.051 0.052	B1789849 B1789851 B1789852	TX2N4A/TXV-V24	2,3 2,3 1,3
GSX140181L*	VSX140181B*			All other AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
GSX140181M*	VSX140181C*			All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
GSX140191K*	VSX140191A*	ASX140191K*		AWUF19 AWUF 31 & 32, ACNF25 All other AHRI Matches	0.049 0.051 0.053	B1789849 B1789851 B1789853	TX2N4A/TXV-V24	2,3 2,3 1,3
GSX140241K*	VSX140241A*	ASX140241K*		AWUF25 All other AHRI Matches	0.055 0.057	B1789855 B1789857	TX2N4A/TXV-V24	2,3 1,3
GSX140241L*	VSX140241B*	ANX140241(A,B)*		ACNF25 All other AHRI Matches	0.055 0.057	B1789855 B1789857	TX2N4A/TXV-V24	2,3 1,3
		ASX140241L*		All CA*FA*****6 Matches All other AHRI Matches	0.059 0.057	B1789859 B1789857	TX2N4A/TXV-V24	1,3 2,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSX140251K*	VSX140251A*	ASX140251K*		ACNF25 All other AHRI Matches	0.055 0.057	B1789855 B1789857	TX2N4A/TXV-V24	2,3 1,3
GSX140251L*	VSX140251B*	ASX140251L* ANX140251(A,B)*		ACNF25 All other AHRI Matches All CA*FA*****6 Matches	0.055 0.057 0.059	B1789855 B1789857 B1789859	TX2N4A/TXV-V24	2,3 2,3 1,3
GSX140301K*	VSX140301A*	ASX140301K*		AWUF 31 & 32 All other AHRI Matches	0.061 0.065	B1789861 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX140301L*		ANX140301B*		All AHRI Matches	0.067	B1789867	TX3N4/TXV-V36	1,3
GSX140311K*	VSX140311A*	ASX140311K*		AWUF 31 & 32 All other AHRI Matches All CA*FA*****6 Matches	0.061 0.063 0.065	B1789861 B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3 2,3
GSX140361K*	VSX140361A*	ASX140361K*		All AHRI Matches	0.068	B1789868	TX3N4/TXV-V36	1,3
GSX140371K*	VSX140371A*	ASX140371K*		All other AHRI Matches All CA*FA*****6 Matches	0.071 0.072	B1789871 B1789872	TX3N4/TXV-V36	2,3 1,3
GSX140421K*	VSX140421A*	ASX140421K*		All other AHRI Matches All CA*FA*****6 Matches	0.074	B1789874	TX5N4/TXV-V48	1,3
GSX140481K*	VSX140481A*	ASX140481K*		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSX140601K*	VSX140601A*	ASX140601K*		All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
GSX160181F*		ASX160181**		All AHRI Matches	0.049	B1789849	TX2N4A/TXV-V24	1,3
GSX16S181A*				All AHRI Matches	0.053	B1789853	TX2N4A/TXV-V24	1,3
GSX16A181A*				All AHRI Matches	0.049	B1789849	TX2N4A/TXV-V24	1,3
GSX160241F*		ASX160241**		ACNF30 All other AHRI Matches	0.059 0.057	B1789859 B1789857	TX2N4A/TXV-V24	2,3 1,3
GSX16S241A*				All AHRI Matches All CA*FA*****6 Matches	0.060 0.059	B1789860 B1789859	TX2N4A/TXV-V24	2,3 1,3
GSX16A241A*				ACNF30 All other AHRI Matches	0.059 0.057	B1789859 B1789857	TX2N4A/TXV-V24	2,3 1,3
GSX160301F*		ASX160301**		ACNF30 All other AHRI Matches	0.063 0.065	B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX16S301A*				ACNF30 All other AHRI Matches	0.063 0.065	B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX160311A*		ASX160311A*		ACNF30 All other AHRI Matches	0.063 0.065	B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX16A301A*				ACNF30 All other AHRI Matches	0.063 0.065	B1789863 B1789865	TX3N4/TXV-V36	2,3 1,3
GSX160361F*		ASX160361**		All other AHRI Matches All CA*FA*****6 Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSX16S361A*				All other AHRI Matches All CA*FA*****6 Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSX160371A*		ASX160371A*		All other AHRI Matches All CA*FA*****6 Matches	0.072	B1789872	TX3N4/TXV-V36	1,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSX16A361A*				All AHRI Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSX160421F*		ASX160421**		All AHRI Matches	0.074	B1789874	TX5N4/TXV-V48	1,3
GSX16S421A*				All AHRI Matches	0.074	B1789874	TX5N4/TXV-V48	1,3
GSX16A421A*				All AHRI Matches	0.074	B1789874	TX5N4/TXV-V48	1,3
GSX160481F*		ASX160481**		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSX16S481A*				All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSX16A481A*				All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSX160601F*		ASX160601**		All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
GSX160611F*		ASX160611F*		All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
GSX16A601A*				All AHRI Matches	0.086	B1789886	TX5N4/TXV-V60	1,3
GSX16A611A*				All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
		ASXC160241B*	DSXC160241A*	All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
		ASXC160361B*	DSXC160361A*	All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
		ASXC160481(A,B)*	DSXC160481(A,B)*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASXC160601(A,B)*	DSXC160601(A,B)*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASXC180361A*	DSXC180361A*	All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
		ASXC180481A*	DSXC180481A*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASXC180601A*	DSXC180601A*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSXC160241C*		ASXC160241C*		All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
GSXC160361C*		ASXC160361C*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSXC160481C*		ASXC160481C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSXC160601C*		ASXC160601C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSXC180241B*		ASXC180241B*		All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
GSXC180361B*		ASXC180361B*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSXC180481B*		ASXC180481B*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSXC180601B*		ASXC180601B*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZ130181A*	VSZ130181A*	ASZ130181A*		All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
		ANZ130181A*			0.051	B1789851	TX2N4A/TXV-V24	1,3
GSZ130241(A,B)*	VSZ130241B*	ASZ130241(A,B)*		All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSZ130242A*				A24-00-2R* W RUF25B24A*	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSZ130242XCA*					0.057	B1789857	TX2N4A/TXV-V24	1,3
		ANZ130241A*			0.057	B1789857	TX2N4A/TXV-V24	1,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSZ130301A*	VSZ130301A*	ASZ130301A*		All AHRI Matches	0.065	B1789865	TX3N4/TXV-V36	1,3
		ANZ130301A*			0.065	B1789865	TX3N4/TXV-V36	1,3
GSZ130361B*	VSZ130361B*			ARUF36C All AHRI Matches	0.071 0.071	B1789871 B1789871	TX3N4/TXV-V36	2,3 1,3
GSZ130361A*	VSZ130361A*	ASZ130361A*		ARUF36C AR*F3636 All Other AHRI Matches	0.071 0.070 0.068	B1789871 B1789870 B1789868	TX3N4/TXV-V36	2,3 2,3 1,3
		ANZ130361A*		ARUF36C AR*F3636 All Other AHRI Matches	0.071 0.070 0.071	B1789871 B1789870 B1789871	TX3N4/TXV-V36	2,3 2,3 1,3
GSZ130362A*				A36-00-2R* XRUF37C24A*	0.071	B1789871	TX3N4/TXV-V36	1,3
GSZ130362XCA*					0.071	B1789871	TX3N4/TXV-V36	1,3
GSZ130363A*				AR*F3636 All Other AHRI Matches	0.070 0.068	B1789870 B1789868	TX3N4/TXV-V36	2,3 1,3
GSZ130365A*				A36-00-2R* XRUF37C24A*	0.071	B1789871	TX3N4/TXV-V36	1,3
GSZ130365XCA*					0.071	B1789871	TX3N4/TXV-V36	1,3
GSZ130421A*	VSZ130421A*	ASZ130421A*		All AHRI Matches	0.072	B1789872	TX5N4/TXV-V48	1,3
		ANZ130421A*			0.072	B1789872	TX5N4/TXV-V48	1,3
GSZ130481A*	VSZ130481A*	ASZ130481A*		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
		ANZ130481A*			0.078	B1789878	TX5N4/TXV-V60	1,3
GSZ130483A*				All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSZ130484A*				All AHRI Matches	0.078	B1789878	TX5N4/TXV-V60	1,3
GSZ130485A*				A48-00-2R* A50-00-2R XRUF49D24A	0.078	B1789878	TX5N4/TXV-V60	1,3
GSZ130485XCA*					0.078	B1789878	TX5N4/TXV-V60	1,3
GSZ130601A*	VSZ130601A*	ASZ130601A*		CHPF4860D6D* All Other AHRI Matches	0.086 0.088	B1789886 B1789888	TX5N4/TXV-V60	1,3 1,3
		ANZ130601A*			0.088	B1789888	TX5N4/TXV-V60	1,3
GSZ130603A*				CHPF4860D6D* All Other AHRI Matches	0.086 0.088	B1789886 B1789888	TX5N4/TXV-V60	1,3 1,3
GSZ130604A*				CHPF4860D6D* All Other AHRI Matches	0.086 0.088	B1789886 B1789888	TX5N4/TXV-V60	1,3 1,3
GSZ130605A*				A60-00-2R* XRUF61D24A*	0.088	B1789888	TX5N4/TXV-V60	1,3
GSZ130605XCA*					0.088	B1789888	TX5N4/TXV-V60	1,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
GSZ140181A*		ASZ140181A*		AWUF31	0.051	B1789851	TX2N4A/TXV-V24	2,3
				ARUF30B14	0.052	B1789852		2,3
				All AHRI Matches	N/A	TXV only		3
		ANZ140181A*		All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
GSZ140191A*				AWUF19**16A*	0.047	B1789847	TX2N4A/TXV-V24	2
				ACNF31**16A*	0.049	B1789849		2
				AR*F31B14A*	0.051	B1789851		1
				AWUF31B14A*	0.051	B1789851		1
				All Other AHRI Matches	TX2N4A	TX2N4A		3
GSZ140241A*		ASZ140241A*		AWUF31 & 32	0.057	B1789857	TX2N4A/TXV-V24	2,3
				All AHRI Matches	N/A	TXV only		3
		ANZ140241A*		All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSZ140251A*				AWUF25**16A*	0.055	B1789855	TX2N4A/TXV-V24	2
				AWUF31**16A*	0.057	B1789857		1
				AWUF32**16A*	0.057	B1789857		1
				ACNF31**16A*	0.057	B1789857		1
				All Other AHRI Matches	TX2N4A	TX2N4A		3
GSZ140301A*		ASZ140301A*		AWUF31 & 32	0.065	B1789865	TX3N4/TXV-V36	2,3
				ARUF30B14	0.065	B1789865		2,3
				All AHRI Matches	N/A	TXV only		3
		ANZ140301A*		All AHRI Matches	0.065	B1789865	TX3N4/TXV-V36	1,3
GSZ140311A*				AWUF31**16A*	0.065	B1789865	TX3N4/TXV-V36	1
				AWUF32**16A*	0.065	B1789865		1
				All Other AHRI Matches	TXV only	TX3N4		3
GSZ140361A*				All AHRI Matches	N/A	TVX only	TX3N4/TXV-V36	3
		ANZ140361A*		All AHRI Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
		ASZ140361(A,B)*		All AHRI Matches	N/A	TVX only	TX3N4/TXV-V36	3
		ASZ140381A*		All AHRI Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSZ140371A*				All AHRI Matches	TXV only	TX3N4	TX3N4/TXV-V36	3
GSZ140421A*				All AHRI Matches	N/A	TVX only	TX5N4/TXV-V48	3
		ASZ140421A*		All AHRI Matches	N/A	TVX only	TX5N4/TXV-V48	3
		ANZ140421A*		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V48	1,3
GSZ140481A*				All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
		ASZ140481A*		All AHRI Matches	N/A	TVX only	TX5N4/TXV-V60	3
		ANZ140481A*		All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
		ANZ140491A*		All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
GSZ140601A*				All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZ140601A*		ASUF59 All AHRI Matches	0.088N/A	B1789888 TXV only	TX5N4/TXV-V60	2,3
		ANZ140601A*		All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
GSZ140181K*	VSZ140181A*	ASZ140181K*		All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
GSZ140181L*	VSZ140181B*	ANZ140181L*		All AHRI Matches	0.051	B1789851	TX2N4A/TXV-V24	1,3
GSZ140241K*	VSZ140241A*	ASZ140241K*		All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSZ140241L*	VSZ140241B*			All AHRI Matches	0.057	B1789857	TX2N4A/TXV-V24	1,3
GSZ140301K*	VSZ140301A*	ASZ140301K*		All AHRI Matches	0.065	B1789865	TX3N4/TXV-V36	1,3
GSZ140361K*	VSZ140361A*	ASZ140361K*		All AHRI Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSZ140361L*	VSZ140361B*	ASZ140361B*		All AHRI Matches	0.072	B1789872	TX3N4/TXV-V36	1,3
GSZ140421K*	VSZ140421A*	ASZ140421K*		All AHRI Matches	0.078	B1789878	TX5N4/TXV-V48	1,3
GSZ140481K*	VSZ140481A*	ASZ140481K*		All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
GSZ140491K*	VSZ140491A*	ASZ140491K*		All AHRI Matches	0.08	B1789880	TX5N4/TXV-V60	1,3
GSZ140601K*	VSZ140601A*	ASZ140601K*		All AHRI Matches	0.088	B1789888	TX5N4/TXV-V60	1,3
GSZ160181B*		ASZ160181L*		ACNF31 All AHRI Matches	0.051 N/A	B1789851 TXV only	TX2N4A/TXV-V24	2,3 3
GSZ160241B*		ASZ160241L*		ACNF31 All AHRI Matches	0.061 N/A	B1789861 TXV only	TX2N4A/TXV-V24	2,3 3
GSZ160301B*		ASZ160301L*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSZ160361B*		ASZ160361L*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSZ160421B*		ASZ160421L*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V48	3
GSZ160481B*		ASZ160481L*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZ160601B*		ASZ160601L*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZ160241(A,K)*	SSZ160241A*	All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
		ASZ160361(A,K)*	SSZ160361A*	All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
		ASZ160481(A,K)*	SSZ160481A*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZ160601(A,K)*	SSZ160601(A,B)*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZC160241A*	DSZC160241A*	All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
		ASZC160361A*	DSZC160361A*	All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
		ASZC160481A*	DSZC160481A*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZC160601(A,B)*	DSZC160601(A,B)*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZC180361A*	DSZC180361A*	All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.

ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
		ASZC180481A*	DSZC180481A*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
		ASZC180601(A,B)*	DSZC180601(A,B)*	All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZC160241C*		ASZC160241C*		All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
GSZC160361C*		ASZC160361C*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSZC160481C*		ASZC160481C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZC160601C*		ASZC160601C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZC180241C*		ASZC180241C*		All AHRI Matches	N/A	TXV only	TX2N4A/TXV-V24	3
GSZC180361C*		ASZC180361C*		All AHRI Matches	N/A	TXV only	TX3N4/TXV-V36	3
GSZC180481C*		ASZC180481C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
GSZC180601C*		ASZC180601C*		All AHRI Matches	N/A	TXV only	TX5N4/TXV-V60	3
CKL36-1P*				All AHRI Matches	0.071	B1789871	N/A	1
CKL49-1P*				All AHRI Matches	0.08	B1789880	N/A	1
CKL60-1P*				All AHRI Matches	0.093	B1789893	N/A	1
CK60-3P*				All AHRI Matches	0.093	B1789893	N/A	1
CKF36-2P*				All AHRI Matches	0.068	B1789868	N/A	1
CKF36-5P*				All AHRI Matches	0.068	B1789868	N/A	1
CKF48-5P*				All AHRI Matches	0.08	B1789880	N/A	1
CKF60-5P*				All AHRI Matches	0.093	B1789893	N/A	1
CPKF36-2P*				All AHRI Matches	0.073	B1789873	N/A	1
CPKF36-5P*				All AHRI Matches	0.073	B1789873	N/A	1
CPKF48-5P*				All AHRI Matches	0.084	B1789884	N/A	1
CPKF60-5N*				All AHRI Matches	0.093	B1789893	N/A	1
CPKF60-5P*				All AHRI Matches	0.093	B1789893	N/A	1
CPKF61-5N*				All AHRI Matches	0.093	B1789893	N/A	1
CPKF61-5P*				All AHRI Matches	0.093	B1789893	N/A	1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMINATION INDOOR UNIT.
ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit	Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
--------------	-------------	--------------------	------------	-----------------------	------

Page Intentionally Left Blank

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED CONMINATION INDOOR UNIT. ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRUIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit	Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
--------------	-------------	--------------------	------------	-----------------------	------

Page Intentionally Left Blank

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED CONMINATION INDOOR UNIT. ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRUIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001ZC
September 2021



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit	Indoor Unit	Indoor Piston Size	Piston P/N	TXV Kit P/N (if used)	Note
--------------	-------------	--------------------	------------	-----------------------	------

Page Intentionally Left Blank

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED CONMINATION INDOOR UNIT. ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRUIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.