



HVAC installation
SOLUTIONS

DUST FREE®

Indoor Air Quality Systems

IAQ³



Filtration



Purification



UV Inactivation





DUST FREE®

BREATHE THE DIFFERENCE.

Designed to meet

IAQ³

THE INDOOR AIR
QUALITY STRATEGY



✱ FILTRATION

Reduce dust, pollen, mold, and dander, as air circulates through your central air system.

⚗ PURIFICATION

Active air purification using next generation technologies to reduce or inactivate indoor air pollutants such as odors, VOCs, and bacteria.¹

☀ UV INACTIVATION

When professionally installed, UV-C light can inactivate specific, targeted bacteria where the UV-C light shines.²

the full spectrum of indoor air quality demands.



THE FULL LINE OF IAQ³ AIR QUALITY MANAGEMENT PRODUCTS

✱ DUST FREE MAC-13

✱ DUST FREE MAC-11

✱ ELECTROSTATIC AIR FILTERS

⦿ DUST FREE ACTIVE

⦿ DUST FREE CARBON

☀ LIGHTSTICK PLUS

☀ LIGHTSTICK, MINISTICK,
VERSALIGHT, ULTRA-FLEX,
4XTREME, XL

☀ NOMAD, NOMAD 2

The IAQ³ platform integrates three levels of air quality products, each increasing the overall air quality of the space. The result is a dynamic air quality management strategy that provides an IAQ solution, custom-tailored to your specific needs.

The platform is the ultimate solution for indoor air quality. Each product works together to build a comprehensive filtration system, purification process and UV inactivation technology that will make indoor environment healthier by delivering high-quality filtered breathing air with less dust entomology concerns or allergies from pollen counts.

Action videos and full details @ rectorseal.com/dustfree

¹MS2 virus and Staphylococcus epidermis bacteria.

²SARS COV-2, MS2 virus, Bacillus thuringiensis bacteria, Aspergillus niger mold, and Serratia marcescens.
EPA Establishment No. 73316-TX-1



Dust Free is a member of
the Green Building Council.



WHOLE HOME AIR PURIFICATION

Dust Free® Active

UV-C light/ionization whole home air purification


Code	Description	Qty
89230	Active Air Purifier, 6"	6
89231	Active Air Purifier, 12"	6

FEATURES

- Dual active air purification technologies
- Reduces particulate matter by improving the performance of your existing filtration system using millions of charged ions
- Innovative carbon fiber brushes increase ion production
- Effective against odors, VOC's, and inactivates virus in the air
- Expanded range ballast for increased electrical reliability
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- Warranty: 7-yr power supply; 4-yr core; 2-yr lamp

APPLICATION • The Dust Free Active Air purifier's unique, dual technologies target air quality problems at the source using germicidal UV-C and ionization systems to clean the air in your home. The UV-C light and ionization provide the comprehensive IAQ solution. Laboratory tests have also proven that the Dust Free Active can reduce airborne bacteria.

RECOMMENDED FOR • HVAC systems • Whole home air purification
• Reducing dust, dander, VOC's, odors and other allergens





WHOLE HOME AIR PURIFICATION

Dust Free® Carbon

Carbon/UV-C light whole home air purification


Code	Description	Qty
89224	Carbon Air Purifier, 14"	6

FEATURES

- Proprietary Carbon/UV-C Light multistage technology
- Reduces Formaldehyde
- Ozone-free
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- Highest quality construction
- Compact
- Warranty: 7-yr limited; 2-yr on core

APPLICATION • Dust Free's new carbon technology is one of the industry's leading duct-mounted air purification processes that effectively reduces VOC's and Formaldehyde that can exist in indoor air.

RECOMMENDED FOR • HVAC systems • Whole home air purification
• Reducing VOC's, dosing mold and mildew on HVAC cooling coils



Models	Dimensions†	Power	Weight	Core
Dust Free Active 6"	6.5"H X 6"W X 6"L	††24VAC, 50/60Hz, 1.4A. 3000V surge protection.	Approx. 3 lbs.	Bi-polar ionization
Dust Free Active 12"	6.5"H X 6"W X 12"L			
Dust Free Carbon 14"	6.5"H X 6"W X 14.5"L	††24VAC, 50/60Hz, 1.4A. 3000V surge protection.	Approx. 3 lbs	Ozone-free Carbon technology

† Mounting Plate: 8"H x 8"W. †† Expanded range ballast: 20V-32V.



UV INACTIVATION

Dust Free® Lightstick®

Germicidal UV lights

Code	Description	Qty
89262	Lightstick UV light (9,000 hours lamp life)	6
89263	Lightstick Plus UV light (18,000 hours lamp life)	6

FEATURES

- Inactivates SARS CoV-2, bacteria, and mold on surfaces where the light shines when professionally installed²
- Expanded range ballast operates over a range of 20V to 32V and offers 3000V surge protection
- Direct Connect™ custom design allows lamp to be installed directly in A-coil delta plate for optimal UV exposure
- Professionally engineered injection molded thermoplastic co-polymer high-strength power supply
- Highest UVC output compared to other 24V UV fixtures
- Warranty:
Lightstick - 4-yr limited; 1-yr lamp
Lightstick Plus - 7-yr limited; 2-yr lamp

APPLICATION • The Dust Free Lightstick series, Lightstick and Lightstick Plus, have been redesigned from the ground up using the highest quality components. The series' professionally engineered injection molded thermoplastic co-polymer high strength ballast design and comprehensive HALT testing provide improved reliability. The Lightstick and Lightstick Plus utilize low mercury lamps that are better for the environment and provide high ambient temperature operation.

RECOMMENDED FOR • Any residential HVAC system • Works with your air filter 24/7 to disinfect cooling coils, drain pans, and duct surfaces



¹MS2 virus and Staphylococcus epidermis bacteria.

²SARS COV-2, MS2 virus, Bacillus thuringiensis bacteria, Aspergillus niger mold, and Serratia marcescens.

Bio-Fighter® 4Xtreme

Commercial UV light

Code	Description	Qty
89079	Bio-Fighter 4Xtreme Roof Top 21in	6
89080	Bio-Fighter 4Xtreme Roof Top 33in	6
89081	Bio-Fighter 4Xtreme Roof Top 45in	6



FEATURES

- NEMA 4X rated housing protects internal components against moisture and corrosion
- Suitable for extreme indoor/ outdoor applications
- Large T6 HO lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Tilt-lamp feature increases the amount of UV-C dosage into water located in the drain pan
- Cover interlock ensures user safety by preventing unit operation while cover is open
- Warranty: 3-yr limited; 1-yr lamp

APPLICATION • Whether it is Mother Nature or a splash of coil cleaner, the Bio-Fighter 4Xtreme rooftop UV-C fixture, equipped with a UL listed NEMA 4X interlocked enclosure, can handle the harshest of HVAC environments.

RECOMMENDED FOR • Commercial HVAC systems • Indoor and outdoor applications • Rooftop AHU applications





UV INACTIVATION

Bio-Fighter® Ultra-Flex

Residential UV light

Code	Description	Qty
89136	Bio-Fighter Ultra-Flex 14in, Single lamp, 1S14 (1SUF14)	6
89137	Bio-Fighter Ultra-Flex 16in, Single lamp, 1S16 (1SUF16)	6
89138	Bio-Fighter Ultra-Flex 14in, Dual lamp, 2S14 (2SUF14)	6
89139	Bio-Fighter Ultra-Flex 16in, Dual lamp, 2S16 (2SUF16)	6



FEATURES

- Adaptive electronic ballast senses input voltage and automatically adjusts for 120V to 240V power
- Extra long 6-ft lamp cables with moisture boot seals lamp connections against moisture in high humidity environments
- User-friendly slide-clip lamp retention system makes bulb replacement easier
- Air handler viewport makes it easy to monitor lamp operation in every application
- Stainless steel remote-lamp housing protects lamp connection assembly from accidental damage
- External fuse and lighted On/Off switch for easy and safe operation
- Warranty: 5-yr limited; 1-yr lamp

APPLICATION • The Bio-Fighter Ultra-Flex offers a tremendously flexible platform for HVAC UV-C applications. Multi-input voltage, remote mount lamp capability, and multiple lamp lengths allow for a bespoke UV-C solution.

RECOMMENDED FOR • Residential HVAC systems • Can be mounted anywhere in the HVAC system or duct work • Dual lamp units are recommended for A-coil and return air applications



Bio-Fighter® VersaLight

High-output UV light

Code	Description	Qty
89075	Bio-Fighter VersaLight 16in, Single lamp, 1SVL16	6
89076	Bio-Fighter VersaLight 16in, Dual lamp, 2SVL16	6
89077	Bio-Fighter VersaLight 20in, Single lamp, 1SVL20	6
89078	Bio-Fighter VersaLight 20in, Dual lamp, 2SVL20	6



FEATURES

- Single or dual remote-mount capability allows flexibility in unit location and application
- Smart ballast technology senses input voltage and automatically adjusts for 120V to 240V power
- Moisture boot seals lamp connections against moisture in high humidity environments
- Custom designed HO lamps offer greater durability while emitting higher levels of disinfecting UV-C light
- Lighted On/Off switch and external fuse are conveniently located
- Warranty: 3-yr limited; 1-yr lamp

APPLICATION • The VersaLight provides the installing contractor with a patent pending, remote-mounted lamp capability that allows placement of one, or two, of the HO lamps anywhere within 6 feet of the VersaLight's chassis. This remote feature, coupled with the VersaLight's multi-input voltage power supply that can handle 120V to 240V, makes the VersaLight the "One size fits All" UV-C fixture.

RECOMMENDED FOR • HVAC systems • Can be mounted anywhere in the HVAC system or ductwork • Single lamp is suitable for slab coil applications 3 tons or less, and 1200 CFM or less • Dual lamp units are recommended for A-coil and return air applications





UV INACTIVATION

Bio-Fighter® Nomad

Flexible-mounting residential UV light

Code	Description	Qty
89278	Bio-Fighter Nomad 9D	6
89279	Bio-Fighter Nomad II 9D	6
89280	Bio-Fighter Nomad II 16D	6



FEATURES

- All-in-One chassis design
- High-output H-tube germicidal lamp design provides high intensity UV-C output in a compact package
- Auto-sensing input voltage automatically adjusts for 120V or 240V power
- Air handler viewport makes it easy to monitor lamp operation in every application
- Optional remote safety interlock installs on a nearby air handler access panel or door to prevent operation when air handler is being serviced
- Available in single or dual bulb configurations
- Warranty: 5-yr limited; 1-yr lamp

APPLICATION • Surface mounted UV-C applications demand installation flexibility and the Bio-Fighter Nomad delivers one of the most flexible chassis designs available.

RECOMMENDED FOR • Residential HVAC systems • Installs virtually anywhere, in or on HVAC system



Dust Free® Duality®

UV light for ductless mini-split systems


Code	Description	Qty
89097	Duality UV	16
89096	Duality Replacement LED array	25

FEATURES

- Dual UV LED arrays
- Dual UV spectrums, UV-A and UV-C irradiation
- Dual sanitizing options, VOC filter and UV coil scrubbing
- Dual input voltage, 120VAC or 230VAC
- Zero ozone emissions
- Easy installation; Hassel-free setup with universal compatibility for ductless systems
- Easy clip-on airflow sensor automatically and proactively powers unit on/off
- Durable 3M adhesives fit every installation need
- EMC and LVD tested and qualified for safe indoor applications
- Warranty: 5-yr limited

APPLICATION • Designed to fit and function in compact areas of HVAC components • Germicidal ultraviolet (UVGI) helps inactivate viruses and bacteria on damp surfaces ensuring the optimal efficiency of HVAC systems • Combines UV-C light and photocatalytic oxidation to neutralize odors and volatile organic compounds (VOCs)

RECOMMENDED FOR • Ductless mini-split systems • Areas where space is a premium





UV INACTIVATION

Bio-Fighter® XL

Commercial UV light for large applications

Code	Description	Qty
89082	Bio-Fighter XL-21in, 120v	6
89083	Bio-Fighter XL-33in, 120v	6
89084	Bio-Fighter XL-33in, 277v	6
89085	Bio-Fighter XL-45in, 120v	6
89086	Bio-Fighter XL-61in, 120v	6
89087	Bio-Fighter XL-61in, 277v	6
89088	Bio-Fighter XL-21in, 230v	6
89089	Bio-Fighter XL-33in, 230v	6
89098	Bio-Fighter XL-45in, 230v	6
89099	Bio-Fighter XL-61in, 230v	6



FEATURES

- Extra long lamps to maximize exposure over large commercial cooling coils
- New magnetic mounting makes installation quicker than ever.
- Highly polished aluminum reflector focuses more UV-C light toward coil
- Large T6 lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Multiple conduit locations on chassis allow for flexible installations
- Warranty: 3-yr limited; 1-yr lamp

APPLICATION • Large commercial coils require large UV-C fixtures to maximize surface area coverage efficiently. The Bio-Fighter XL is uniquely qualified for extra-large applications with lamp lengths up to five feet and a class-leading reflector surface area to cost effectively apply a high dose of UV-C energy.

RECOMMENDED FOR • Commercial HVAC systems • Large commercial cooling coils • Large applications with extra long lamp lengths




Models	Dimensions†	Power	Lamp/Lamp Life	Weight
Lightstick	1.75"H X 3.16"W X 4.75"L	24VAC (Expanded range ballast: 20V-32V), 50/60Hz, 1.4A. 3000V surge protection. 3ft power cord. 4ft lamp cord.	15" / 9,000-hr	2.6 – 3 lbs
Lightstick Plus			15" / 18,000-hr	
Ultra-Flex	2"H x 4"W x 9.25"L	120-240VAC, 50/60Hz, 6ft power cord.	14"-16" / 9,000-hr	4 lbs
4Xtreme	4.25"H x 8"W x 11.56"L	120-240VAC, 50/60Hz, 0.90A/0.50A.	21", 33", 45" / 9,000-hr	8.2 lbs
VersaLight	2.5"H x 5"W x 13"L	120-240VAC, 50/60Hz, 0.90A/0.50A.	14", 16", 20" / 9,000-hr. Single and dual lamp.	5.75 – 6 lbs
Nomad	3.125"H x 3.5"W x 7"L	120-240VAC, 50/60Hz, 0.45A/0.22A.	9" / 9,000-hr	3.75 lbs
Nomad II	1.5"H x 5.937"W x 17"L	120-240VAC, 50/60Hz, 0.85A/0.39A.	9", 16", / 9,000-hr. Dual lamp.	5.5 lbs
XL	2.5"H x 3.375"W x 24"-64"L	120-230VAC, 50/60Hz, 1.15A/0.60A.	21", 33", 45", 61" / 9,000-hr	3.9 – 8.3 lbs
Duality	Power Supply: 4" L X 2.3" W X 1" H LED Strips: 8.8" L X 0.4" W VOC Filter: 7.8" L X 2.3" W x 0.1" H	90-240VAC	4" / 50,000-hr	1.1 lb

COIL-CURE™

EPA APPROVED DISINFECTANT
AND COATING

Pre-UV 2-step clean & coat process,
enhancing IAQ protection.



Clean

1



Coat

2



Coil-Cure cleans and disinfects evaporator coils.
Coil-Cure AM protects against mold, mildew and microbial odor.
Coil-Cure AM helps aluminum coils perform like copper coils.

Action videos and full details @ rectorseal.com/coilcure

Coronavirus Disease 2019 (COVID-19) is caused by SARS-CoV-2. Coil-Cure, Evaporator Coil Cleaner and Disinfectant, EPA Reg. No. 44446-23-51219, kills similar viruses and therefore can be used against SARS-CoV-2 when used in accordance with the directions for use against Canine Parvovirus on hard, non-porous surfaces. Refer to the CDC website at <https://www.cdc.gov/coronavirus/index.html> for additional information.



PRE-UV INACTIVATION CHEMICAL

Coil-Cure™

Strong disinfectant, self-rinsing coil cleaner

Code	Description	Qty
11070	18 oz. Aerosol	12

FEATURES

- EPA registered
- Disinfects against Canine Parvovirus
- Disinfects against Legionella pneumophila
- Effective via AOAC methodology against a wide variety of organisms
- Controls mold and mildew
- Cleans & deodorizes - No rinsing required
- Cuts grease and grime without scrubbing

APPLICATION • Non-abrasive, one-step disinfectant cleaner designed specifically for HVAC equipment in homes, nursing homes, institutions, offices, schools, motels and hotels.

RECOMMENDED FOR

- Disinfecting and cleaning A/C evaporator coils • HVAC Catchpans • Floors • Walls
- Table tops

Coil-Cure has been added to the EPA list N as an EPA registered disinfectant with emerging viral pathogens AND human coronavirus claims for use against SARS-CoV-2.

EPA Reg. No. 44446-23-51219



Coil-Cure™ AM

Spray-applied antimicrobial coil coating

Code	Description	Qty
72001	12 oz. aerosol can	6

FEATURES

- **UV resistant; Enhance IAQ protection with Dust Free UV inactivation solutions after the 2-step clean & coat process**
- Powered by Agion, an EPA registered compound
- Protects from mold and mildew caused by fungal growth
- Prevents microbial odor development on floors and ceilings
- Extends equipment life
- Specifically formulated to resist mildew growth and associated deterioration, staining and discoloration caused by mildew on coated surfaces
- POP packaged



A hybrid polymeric aerosol antimicrobial coating designed for high performance in HVAC environments, protecting expensive equipment from mold, fungus and bacterial growth.

APPLICATION

- Hybrid polymeric aerosol antimicrobial coating designed for high performance in HVAC environments, protecting expensive equipment from mold, fungus and bacterial growth • Colorless (clear) and can be applied over GulfCoat corrosion protection coatings • Embedded with Agion®, is UV resistant (UVA and AVB) and is a one-part solution • Antimicrobial properties become active when moisture is present and conditions are ideal for bacterial growth, leads to long-lasting performance



RECOMMENDED FOR

- HVAC tubing, internal components and cabinet walls • Hospitals, schools and anywhere else bacteria, mold and fungi are a concern



HIGH EFFICIENCY MEDIA AIR CLEANERS

Dust Free® MERV 13

Best in class media air cleaner

Code	Description	Qty
89188	MAC Cabinet MERV 13 16 x 25	1
89191	MAC Cabinet MERV 13 17 x 22	1
89189	MAC Cabinet MERV 13 20 x 20	1
89192	MAC Cabinet MERV 13 21 x 22	1
89190	MAC Cabinet MERV 13 20 x 25	1
89193	MAC Cabinet MERV 13 25 x 22	1
89194	MAC Cabinet MERV 13 16 x 25, Non Carbon Filter	1
89195	MAC Cabinet MERV 13 20 x 20, Non Carbon Filter	1
89196	MAC Cabinet MERV 13 20 x 25, Non Carbon Filter	1
89198	MERV 13 Repl Carbon Pleat Filter, 16 x 25 x 4.375 (for MAC-1625)	10
89197	MERV 13 Repl Carbon Pleat Filter, 16 x 20 x 4.375 (for MAC-1722)	10
89199	MERV 13 Repl Carbon Pleat Filter, 20 x 20 x 4.375 (for MAC-2020 and 2122)	10
89200	MERV 13 Repl Carbon Pleat Filter, 20 x 25 x 4.375 (for MAC-2025 & 2522)	10
89203	MERV 13 Repl Filter, non-carbon filter, 16 x 20 x 4.375	10
89204	MERV 13 Repl Filter, non-carbon filter, 16 x 25 x 4.375	10
89205	MERV 13 Repl Filter, non-carbon filter, 20 x 20 x 4.375	10
89206	MERV 13 Repl Filter, non-carbon filter, 20 x 25 x 4.375	10

FEATURES

- MERV 13 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Available with carbon filters
- Minimal air leakage design
- Effective in trapping household dust, pollen, and other allergens 100 times more effective than traditional filter media
- Provide the best balance between sub-micron filtration and air flow
- Lowest pressure drop MERV 13 filter at 0.24" w.c.
- Warranty: Limited lifetime on cabinet only

APPLICATION • Dust Free's Media Air Cleaners utilize a best in class MERV 13 filter that traps 100 times more airborne particles than traditional disposable fiberglass filters. Not only is it effective in reducing airborne household dust, mold spores, pollen, and other allergens, the ASHRAE 52.2 tested MERV 13 media allows adequate air flow for high SEER HVAC equipment.

RECOMMENDED FOR • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Trapping household dust, pollen, and other allergens





HIGH EFFICIENCY MEDIA AIR CLEANERS

Dust Free® MERV 11

Media air cleaner for indoor air improvement

Code	Description	Qty
89209	MAC Cabinet MERV 11 16 x 25	1
89212	MAC Cabinet MERV 11 17 x 22	1
89210	MAC Cabinet MERV 11 20 x 20	1
89213	MAC Cabinet MERV 11 21 x 22	1
89211	MAC Cabinet MERV 11 20 x 25	1
89214	MAC Cabinet MERV 11 25 x 22	1
89216	MERV 11 Repl Filter, 16 x 25 x 4.375 (for MAC-1625)	10
89215	MERV 11 Repl Filter, 16 x 20 x 4.375 (for MAC-1722)	10
89217	MERV 11 Repl Filter, 20 x 20 x 4.375 (for MAC-2020 & 2122)	10
89218	MERV 11 Repl Filter, 20 x 25 x 4.375 (for MAC-2025 & 2522)	10

FEATURES

- MERV 11 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Minimal air leakage design
- Effective in reducing household dust, pollen, and other allergens 100 times more effective than traditional filter media
- Warranty: Limited lifetime on cabinet only

APPLICATION • Dust Free's MERV 11 Media Air Cleaner is a lower cost alternative to the Dust Free MERV 13 Media Air Cleaner. The MERV 11 Media Air Cleaner retains the same gasketed door and a high efficiency MERV 11 filter cartridge tested to ASHRAE 52.2 standards.

RECOMMENDED FOR • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Reducing household dust, pollen, and other allergens



Models	Efficiency	Resistance	Media	Cabinet	Dimensions (D x H x W)
Dust Free MERV 11	MERV 11	--	Pleated	Galvanized steel.	27.13" x 17.00" x 6.56" 22.13" x 21.00" x 6.56" 27.13" x 21.00" x 6.56" 22.13" x 22.00" x 6.56" 22.13" x 22.00" x 6.56"
Dust Free MERV 13	MERV 13	0.24"	Pleated	Painted steel.	22.13" x 25.25" x 6.56"



Permanent Air Filters

A lifetime of cleaner air in your home.

The wise investment of a Permanent Air Filter for your home can protect it from everyday pollutants like dust and pollen.

Dust Free filters use multiple layers with electrostatically-charged filtration media that capture these particles as well as any other harmful particulates in the air around you!

The Dust Free permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep them operating at peak efficiency for a lifetime.

FEATURES

- Made in the USA with precise manufacturing techniques and attention to detail
- Drain holes allow water to drain quickly for faster drying after cleaning
- Available in multiple standard sizes in 1" or 2" frames
- Custom and adjustable sizes available
- High-strength extruded aluminum frame
- Pull tabs for easy removal for maintenance
- Durable construction for even the most powerful HVAC systems
- Multiple filtration layers
- Patented configuration alternate polarity, self-charging layers of media



Models	Efficiency†	Resistance††	Media	Frame	Sizes
Dust Fighter 95	95%	0.15	5 Layers	Aluminum	40 standard sizes. 1", 2", and adjustable sizes. Custom sizes available.
Dust Fighter 90	90%	0.12	3 Layers		
Allergy Gold	90%	0.12"	3 Layers	Gold-anodized aluminum	
MAXAire Gold	81%	0.08"	3 Layers		
EnviroGREEN 8 Pleat	MERV 8	--	Pleated V-Core	Green-anodized aluminum	33 standard sizes. Custom sizes up to 600 sq in.

†Except for EnviroGREEN 8 pleat, efficiency represents peak arrestance as tested to ASHRAE 52-76 test procedures. †† Initial resistance @ 1200 CFM.

PERMANENT AIR FILTERS

Dust Fighter® 95



Highest performance electrostatic air filter

Typical fiberglass throwaway filters can trap only 5% of pollutants. And ordinary electrostatic air filters sold through media and discount outlets trap only 80%. The Dust Fighter 95 is the most effective tool for eliminating 95% of common, large micron, household pollutants.

- 95% Peak Arrestance
- 93% Average Arrestance
- .15" Initial Resistance at 1200 CFM
- 100 grams Dust Holding Capacity at .5" w.g.
- 130 grams Dust Holding Capacity at 1" w.g




Code	Description	Qty
89365	Dust Fighter 95 Filter, 10x20x1	6
89366	Dust Fighter 95 Filter, 12x12x1	6
89367	Dust Fighter 95 Filter, 12x20x1	6
89368	Dust Fighter 95 Filter, 12x24x1	6
89369	Dust Fighter 95 Filter, 12x30x1	6
89370	Dust Fighter 95 Filter, 12x36x1	6
89371	Dust Fighter 95 Filter, 14x14x1	6
89372	Dust Fighter 95 Filter, 14x20x1	6
89373	Dust Fighter 95 Filter, 14x24x1	6
89374	Dust Fighter 95 Filter, 14x25x1	6
89375	Dust Fighter 95 Filter, 14x30x1	6
89376	Dust Fighter 95 Filter, 15x20x1	6
89377	Dust Fighter 95 Filter, 16x16x1	6
89378	Dust Fighter 95 Filter, 16x20x1	6
89379	Dust Fighter 95 Filter, 16x24x1	6
89380	Dust Fighter 95 Filter, 16x25x1	6
89381	Dust Fighter 95 Filter, 18x18x1	6
89382	Dust Fighter 95 Filter, 18x24x1	6
89383	Dust Fighter 95 Filter, 18x25x1	6
89384	Dust Fighter 95 Filter, 20x20x1	6
89385	Dust Fighter 95 Filter, 20x24x1	6
89386	Dust Fighter 95 Filter, 20x25x1	6
89387	Dust Fighter 95 Filter, 20x30x1	6
89388	Dust Fighter 95 Filter, 24x24x1	6
89389	Dust Fighter 95 Filter, 24x30x1	6
89390	Dust Fighter 95 Filter, 25x25x1	6
89391	Dust Fighter 95 Filter, 12x24x2	6
89392	Dust Fighter 95 Filter, 14x20x2	6

Code	Description	Qty
89393	Dust Fighter 95 Filter, 15x20x2	6
89394	Dust Fighter 95 Filter, 16x20x2	6
89395	Dust Fighter 95 Filter, 16x24x2	6
89396	Dust Fighter 95 Filter, 16x25x2	6
89397	Dust Fighter 95 Filter, 18x18x2	6
89398	Dust Fighter 95 Filter, 18x24x2	6
89399	Dust Fighter 95 Filter, 20x20x2	6
89400	Dust Fighter 95 Filter, 20x24x2	6
89401	Dust Fighter 95 Filter, 20x25x2	6
89402	Dust Fighter 95 Filter, 20x30x2	6
89403	Dust Fighter 95 Filter, 24x24x2	6
89404	Dust Fighter 95 Filter, 24x30x2	6
89405	Dust Fighter 95 Filter, 25x25x2	6
89406	Dust Fighter 95 Filter, 10x10x1	6
89407	Dust Fighter 95 Filter, 10x24x1	6
89408	Dust Fighter 95 Filter, 10x30x1	6
89409	Dust Fighter 95 Filter, 12x25x1	6
89410	Dust Fighter 95 Filter, 15x25x1	6
89411	Dust Fighter 95 Filter, 16x30x1	6
89412	Dust Fighter 95 Filter, 16x36x1	6
89413	Dust Fighter 95 Filter, 18x30x1	6
89414	Dust Fighter 95 Filter, 18x36x1	6
89415	Dust Fighter 95 Filter, 20x32x1	6
89416	Dust Fighter 95 Filter, 21x21x1	6
89417	Dust Fighter 95 Filter, 16x30x2	6
89418	Dust Fighter 95 Filter, 18x20x2	6
89419	Dust Fighter 95 Filter, 18x20x1	6
89420	Dust Fighter 95 Filter, 20x20x3/4	6

PERMANENT AIR FILTERS

Dust Fighter 90



High performance electrostatic air filter

By trapping large dusts, pollens, molds, and animal dander as air circulates through the filter, the Dust Fighter 90 electrostatic air filter helps reduce your exposure to these allergens.

- 90% Peak Arrestance
- 89% Average Arrestance
- .12" Initial Resistance at 1200 CFM
- 85 grams Dust Holding Capacity at .5" w.g.
- 125 grams Dust Holding Capacity at 1" w.g



Code	Description	Qty
89306	Dust Fighter 90 Filter, 10x20x1	6
89307	Dust Fighter 90 Filter, 12x24x1	6
89308	Dust Fighter 90 Filter, 14x20x1	6
89309	Dust Fighter 90 Filter, 14x24x1	6
89310	Dust Fighter 90 Filter, 14x25x1	6
89311	Dust Fighter 90 Filter, 14x30x1	6
89312	Dust Fighter 90 Filter, 16x20x1	6
89313	Dust Fighter 90 Filter, 16x25x1	6
89314	Dust Fighter 90 Filter, 18x18x1	6
89315	Dust Fighter 90 Filter, 18x24x1	6
89316	Dust Fighter 90 Filter, 18x25x1	6
89317	Dust Fighter 90 Filter, 20x20x1	6
89318	Dust Fighter 90 Filter, 20x24x1	6
89319	Dust Fighter 90 Filter, 20x25x1	6
89320	Dust Fighter 90 Filter, 20x30x1	6
89321	Dust Fighter 90 Filter, 24x24x1	6
89322	Dust Fighter 90 Filter, 25x25x1	6
89323	Dust Fighter 90 Filter, 10x10x1	6
89324	Dust Fighter 90 Filter, 10x24x1	6
89325	Dust Fighter 90 Filter, 12x25x1	6
89326	Dust Fighter 90 Filter, 15x25x1	6
89327	Dust Fighter 90 Filter, 16x30x1	6
89328	Dust Fighter 90 Filter, 16x32x1	6
89329	Dust Fighter 90 Filter, 18x30x1	6
89330	Dust Fighter 90 Filter, 21x21x1	6
89331	Dust Fighter 90 Filter, 18x20x1	6
89332	Dust Fighter 90 Filter, 12x12x1	6
89333	Dust Fighter 90 Filter, 12x20x1	6
89334	Dust Fighter 90 Filter, 12x30x1	6
89335	Dust Fighter 90 Filter, 14x14x1	6

Code	Description	Qty
89336	Dust Fighter 90 Filter, 15x20x1	6
89337	Dust Fighter 90 Filter, 16x16x1	6
89338	Dust Fighter 90 Filter, 16x24x1	6
89339	Dust Fighter 90 Filter, 24x30x1	6
89340	Dust Fighter 90 Filter, ADJ, 24x30	6
89341	Dust Fighter 90 Filter, 10x20x2	6
89342	Dust Fighter 90 Filter, 12x20x2	6
89343	Dust Fighter 90 Filter, 12x24x2	6
89344	Dust Fighter 90 Filter, 14x14x2	6
89345	Dust Fighter 90 Filter, 14x20x2	6
89346	Dust Fighter 90 Filter, 14x24x2	6
89347	Dust Fighter 90 Filter, 14x30x2	6
89348	Dust Fighter 90 Filter, 15x20x2	6
89349	Dust Fighter 90 Filter, 15x25x2	6
89350	Dust Fighter 90 Filter, 16x16x2	6
89351	Dust Fighter 90 Filter, 16x20x2	6
89352	Dust Fighter 90 Filter, 16x24x2	6
89353	Dust Fighter 90 Filter, 16x25x2	6
89354	Dust Fighter 90 Filter, 16x30x2	6
89355	Dust Fighter 90 Filter, 18x18x2	6
89356	Dust Fighter 90 Filter, 18x20x2	6
89357	Dust Fighter 90 Filter, 18x24x2	6
89358	Dust Fighter 90 Filter, 20x20x2	6
89359	Dust Fighter 90 Filter, 20x24x2	6
89360	Dust Fighter 90 Filter, 20x25x2	6
89361	Dust Fighter 90 Filter, 20x30x2	6
89362	Dust Fighter 90 Filter, 24x24x2	6
89363	Dust Fighter 90 Filter, 24x30x2	6
89364	Dust Fighter 90 Filter, 25x25x2	6

PERMANENT AIR FILTERS

Allergy Gold®



Washable & reusable electrostatic air filter

The Allergy Gold is engineered to capture large airborne pollen, mold spores, and house dust while allowing adequate air flow for today's high SEER equipment. The Allergy Gold is 100% washable and reusable, so it is good for the outdoor environment too.

- 90% Peak Arrestance
- 89% Average Arrestance
- .12" Initial Resistance at 1200 CFM
- 85 grams Dust Holding Capacity at .5" w.g.
- 125 grams Dust Holding Capacity at 1" w.g.



Code	Description	Qty
89421	Allergy Gold Filter, 10x10x1	6
89422	Allergy Gold Filter, 10x20x1	6
89423	Allergy Gold Filter, 10x24x1	6
89424	Allergy Gold Filter, 10x30x1	6
89425	Allergy Gold Filter, 12x12x1	6
89426	Allergy Gold Filter, 12x20x1	6
89427	Allergy Gold Filter, 12x24x1	6
89428	Allergy Gold Filter, 12x25x1	6
89429	Allergy Gold Filter, 12x30x1	6
89430	Allergy Gold Filter, 12x36x1	6
89431	Allergy Gold Filter, 14x14x1	6
89432	Allergy Gold Filter, 14x20x1	6
89433	Allergy Gold Filter, 14x24x1	6
89434	Allergy Gold Filter, 14x25x1	6
89435	Allergy Gold Filter, 14x30x1	6
89436	Allergy Gold Filter, 15x20x1	6
89437	Allergy Gold Filter, 15x25x1	6
89438	Allergy Gold Filter, 16x16x1	6
89439	Allergy Gold Filter, 16x20x1	6

Code	Description	Qty
89440	Allergy Gold Filter, 16x24x1	6
89441	Allergy Gold Filter, 16x25x1	6
89442	Allergy Gold Filter, 16x30x1	6
89443	Allergy Gold Filter, 16x32x1	6
89444	Allergy Gold Filter, 16x36x1	6
89445	Allergy Gold Filter, 18x18x1	6
89446	Allergy Gold Filter, 18x20x1	6
89447	Allergy Gold Filter, 18x24x1	6
89448	Allergy Gold Filter, 18x25x1	6
89449	Allergy Gold Filter, 18x30x1	6
89450	Allergy Gold Filter, 18x36x1	6
89451	Allergy Gold Filter, 20x20x1	6
89452	Allergy Gold Filter, 20x24x1	6
89453	Allergy Gold Filter, 20x25x1	6
89454	Allergy Gold Filter, 20x30x1	6
89455	Allergy Gold Filter, 21x21x1	6
89456	Allergy Gold Filter, 24x24x1	6
89457	Allergy Gold Filter, 24x30x1	6
89458	Allergy Gold Filter, 25x25x1	6

PERMANENT AIR FILTERS

MAXAire® Gold



Low air resistance electrostatic air filter

Today's high efficiency heat pumps and air conditioners require proper air flow. Without proper air flow, systems become inefficient, or in some cases may require major repairs. Consequently, electrostatic air filters must have arrestance to keep dust and other pollutants from accumulating on the coils and in the air. The MAXAire Gold electrostatic air filter has this special combination. It provides high arrestance at an industry leading 0.08" initial resistance.

- 81% Peak Arrestance
- 78% Average Arrestance
- .08" Initial Resistance at 1200 CFM
- 140 grams Dust Holding Capacity at .5" w.g.
- 170 grams Dust Holding Capacity at 1" w.g.



Code	Description	Qty
89459	MAXAire Gold Filter, 10x10x1	6
89460	MAXAire Gold Filter, 10x20x1	6
89461	MAXAire Gold Filter, 10x24x1	6
89462	MAXAire Gold Filter, 10x30x1	6
89463	MAXAire Gold Filter, 12x12x1	6
89464	MAXAire Gold Filter, 12x20x1	6
89465	MAXAire Gold Filter, 12x24x1	6
89466	MAXAire Gold Filter, 12x30x1	6
89467	MAXAire Gold Filter, 12x36x1	6
89468	MAXAire Gold Filter, 14x14x1	6
89469	MAXAire Gold Filter, 14x20x1	6
89470	MAXAire Gold Filter, 14x24x1	6
89471	MAXAire Gold Filter, 14x25x1	6
89472	MAXAire Gold Filter, 14x30x1	6
89473	MAXAire Gold Filter, 15x20x1	6
89474	MAXAire Gold Filter, 16x16x1	6
89475	MAXAire Gold Filter, 16x20x1	6


Code	Description	Qty
89476	MAXAire Gold Filter, 16x24x1	6
89477	MAXAire Gold Filter, 16x25x1	6
89478	MAXAire Gold Filter, 16x30x1	6
89479	MAXAire Gold Filter, 16x32x1	6
89480	MAXAire Gold Filter, 18x18x1	6
89481	MAXAire Gold Filter, 18x20x1	6
89482	MAXAire Gold Filter, 18x24x1	6
89483	MAXAire Gold Filter, 18x25x1	6
89484	MAXAire Gold Filter, 18x30x1	6
89485	MAXAire Gold Filter, 18x36x1	6
89486	MAXAire Gold Filter, 20x20x1	6
89487	MAXAire Gold Filter, 20x24x1	6
89488	MAXAire Gold Filter, 20x25x1	6
89489	MAXAire Gold Filter, 20x30x1	6
89490	MAXAire Gold Filter, 24x24x1	6
89491	MAXAire Gold Filter, 24x30x1	6
89492	MAXAire Gold Filter, 25x25x1	6

PERMANENT AIR FILTERS

EnviroGREEN™ 8 Pleat

MERV 8 reusable pleated air filter

Code	Description	Qty
89116	EnviroGREEN 8 Pleated Filter, 12x12	6
89117	EnviroGREEN 8 Pleated Filter, 12x20	6
89118	EnviroGREEN 8 Pleated Filter, 12x24	6
89119	EnviroGREEN 8 Pleated Filter, 12x25	6
89121	EnviroGREEN 8 Pleated Filter, 14x20	6
89122	EnviroGREEN 8 Pleated Filter, 14x24	6
89123	EnviroGREEN 8 Pleated Filter, 14x25	6
89124	EnviroGREEN 8 Pleated Filter, 14x30	6
89125	EnviroGREEN 8 Pleated Filter, 16x16	6
89126	EnviroGREEN 8 Pleated Filter, 16x20	6
89127	EnviroGREEN 8 Pleated Filter, 16x24	6
89128	EnviroGREEN 8 Pleated Filter, 16x25	6
89129	EnviroGREEN 8 Pleated Filter, 18x24	6
89130	EnviroGREEN 8 Pleated Filter, 18x30	6
89131	EnviroGREEN 8 Pleated Filter, 20x20	6
89132	EnviroGREEN 8 Pleated Filter, 20x24	6
89133	EnviroGREEN 8 Pleated Filter, 20x25	6
89134	EnviroGREEN 8 Pleated Filter, 20x30	6
89135	EnviroGREEN 8 Pleated Filter, 24x24	6



The first MERV 8 reusable pleated filter, EnviroGREEN 8 Pleat combines the high efficiency filtration of the throw-a-way type pleated filter, with the environmental consciousness of a permanent, washable type air filter. Its reusable, washable pleated filter means you will not need to throw another filter into your local land fill for 5 years.

The anodized aluminum frame is guaranteed for life and is designed for easy, “no tools” access to the reusable V-Clean filter media.

FEATURES

- First reusable, washable, MERV 8 pleated filter
- .17" w.g. Initial Resistance
- 100% Recyclable
- Lifetime anodized aluminum frame
- Proprietary asymmetrical “V-Clean” filter core technology is made from completely recyclable materials
- “No tools required” frame design allows for quick removal of the proprietary V-Clean filter core for deep cleaning
- Custom sizes up to 600 square inches
- Warranty: 5-yr limited on filter core





A CSW Industrials Company

HVAC DIVISION

RectorSeal provides industry-leading digital and print support materials for its extensive chemical and mechanical solutions that include:

- Technical Product Information
- Marketing Support Materials
- Engaging Product Demonstration Videos
- Informative SDS and Product Data Sheets
- On-demand and Live Training and Webinars
- Learning Management System (LMS) support via RectorSeal Academy
- Informative Distributor and Sales Representative Tools
- Industry-related Tradeshow and Events Information

For complete details, visit www.rectorseal.com

For the latest product enhancements, news, and updated information, please follow RectorSeal's social media channels.



facebook.com/rectorseal



linkedin.com/company/rectorseal



twitter.com/rectorseal



instagram.com/rectorseal



youtube.com/rectorsealcorp

All information is believed to be current at the time of printing, but our policy is one of continuous development. RectorSeal makes no warranties, express or implied, as to its accuracy. RectorSeal reserves the right to discontinue, update or change the information at any time without notice or without incurring obligations.

RectorSeal® • 2601 Spenwick Drive, Houston, TX 77055, USA • 713-263-8001 • rectorseal.com

RectorSeal®, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2023 RectorSeal. All rights reserved. R50846 07/23