

Job Name:	
Tag#	



## Submittal Data Sheet

4MXL36TVJU

4 Port, 3-Ton Outdoor Heat Pump



Complete warranty details available from your local dealer or at [www.daikincomfort.com](http://www.daikincomfort.com). To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

### Outdoor Specifications

Compressor	Hermetically Sealed Swing Type			
Refrigerant	R-410A			
Factory Charge (Lbs)	8.60			
Refrigerant Oil	PVE (FVC50K)			
Airflow Rate (cfm)	Cooling		Heating	
	H	3,684	H	3,356
	M	3,029	M	3,138
	L	2,756	L	1,500
Sound Pressure Level (dBA)	53 / 55			
Dimensions (H x W x D) (in)	34-1/4 x 43-5/16 x 18-1/8			
Weight (Lbs)	214			

### Efficiency

	SEER	EER	HSPF	COP
Non-Ducted	21.7	12.5	11.2	4.26
Ducted	16.9	11.0	9.1	3.5
Mixed	19.3	11.75	10.15	3.88

### Performance

#### Cooling (Btu/hr)

Rated	34,400
Operating Range	14°F – 115°F

Rated Cooling Conditions: Indoor: 80°F DB/67°F WB  
Outdoor: 95°F DB/75°F WB

#### Heating (Btu/hr)

1: @ 47° Rated	36,600
2: @ 5°: Capacity / COP	36,600 / 2.0
Operating Range	-13°F – 60°F

1: Rated Heating Conditions: Indoor: 70°F DB/60°F WB  
Outdoor: 47°F DB/43°F WB  
2: Heating Conditions; Compressor Indoor: 70°F DB/60°F WB  
Operating at Max Frequency: Outdoor: 5°F DB/5°F WB

### Electrical

	208/60/1	230/60/1
System MCA	32.5	32.5
System MFA	35	35
Compressor RLA	27	27
Outdoor fan motor FLA	1.15	1.15
Outdoor fan motor W	84	84

MFA: Max. fuse amps MCA: Min. circuit amps (A) FLA: Full load amps (A)  
RLA: Rated load amps (A) W: Fan motor rated output (W)


### Piping

Liquid (in)	1/4 x 4
Gas (in)	3/8 x 1, 1/2 x 2, 5/8 x 1
Drain (in)	1
Max. System Piping Length (ft)	230
Max. Interunit Piping Length (ft)	98
Max. Height Difference – IDU to ODU (ft)	49.25
Max. Height Difference – IDU to IDU (ft)	24.625
Chargeless (ft)	131.625
Additional Charge of Refrigerant (oz/ft)	.21

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

# 4MXL36TVJU Dimensional Data



## Optional Accessories



Included	Part Number	Description
	KEH082A41	Drain Pan Heater
	KPW082A41	Air Adjustment Grille
	KKG082A41	Back protection wire net

## Non- Ducted, 60 Hz, 208-230V

Combination of indoor unit	Cooling Capacity of each indoor unit					
	Heating Capacity of each indoor unit					
	Each Capacity				Total Indoor Unit Capacity	
	A room	B room	C room	D room	Rating	(min ~ max)
07	7.00	—	—	—	7.00	3.30 ~ 9.30
	8.90	—	—	—	8.90	3.30 ~ 14.00
09	9.00	—	—	—	9.00	3.40 ~ 12.00
	11.50	—	—	—	11.50	3.40 ~ 18.10
12	12.00	—	—	—	12.00	4.20 ~ 16.00
	15.30	—	—	—	15.30	3.50 ~ 24.10
15	15.00	—	—	—	15.00	5.00 ~ 20.00
	19.20	—	—	—	19.20	3.60 ~ 30.10
18	18.00	—	—	—	18.00	5.00 ~ 24.00
	23.00	—	—	—	23.00	3.60 ~ 36.10
24	24.00	—	—	—	24.00	6.20 ~ 29.50
	27.40	—	—	—	27.40	4.70 ~ 42.20
07+07	7.00	7.00	—	—	14.00	5.00 ~ 18.70
	8.95	8.95	—	—	17.90	3.60 ~ 28.10
07+09	7.00	9.00	—	—	16.00	5.00 ~ 21.30
	8.93	11.48	—	—	20.40	3.60 ~ 32.10
07+12	7.00	12.00	—	—	19.00	5.00 ~ 24.90
	8.73	14.97	—	—	23.70	3.60 ~ 37.10
07+15	7.00	15.00	—	—	22.00	6.50 ~ 27.70
	8.24	17.66	—	—	25.90	4.80 ~ 40.20
07+18	7.00	18.00	—	—	25.00	7.90 ~ 30.40
	7.87	20.23	—	—	28.10	6.50 ~ 43.30
07+24	7.00	24.00	—	—	31.00	8.00 ~ 35.90
	7.32	25.08	—	—	32.40	6.50 ~ 49.40
09+09	9.00	9.00	—	—	18.00	5.00 ~ 24.00
	11.50	11.50	—	—	23.00	3.60 ~ 36.10
09+12	9.00	12.00	—	—	21.00	5.10 ~ 26.80
	10.80	14.40	—	—	25.20	3.70 ~ 39.20
09+15	9.00	15.00	—	—	24.00	7.90 ~ 29.50
	10.28	17.13	—	—	27.40	6.50 ~ 42.20
09+18	9.00	18.00	—	—	27.00	7.90 ~ 32.30
	9.83	19.67	—	—	29.50	6.50 ~ 45.30
09+24	9.00	24.00	—	—	33.00	8.00 ~ 37.80
	9.25	24.65	—	—	33.90	6.50 ~ 51.40
12+12	12.00	12.00	—	—	24.00	6.10 ~ 29.50
	13.70	13.70	—	—	27.40	4.80 ~ 42.20
12+15	12.00	15.00	—	—	27.00	7.90 ~ 32.30
	13.11	16.39	—	—	29.50	6.50 ~ 45.30
12+18	12.00	18.00	—	—	30.00	7.90 ~ 35.00
	12.68	19.02	—	—	31.70	6.50 ~ 48.40
12+24	11.47	22.93	—	—	34.40	8.10 ~ 40.50
	12.20	24.40	—	—	36.60	6.50 ~ 54.50
15+15	15.00	15.00	—	—	30.00	8.20 ~ 35.00
	15.85	15.85	—	—	31.70	6.60 ~ 48.40
15+18	15.00	18.00	—	—	33.00	8.20 ~ 37.80
	15.41	18.49	—	—	33.90	6.60 ~ 51.40
15+24	13.23	21.17	—	—	34.40	8.30 ~ 40.50
	14.08	22.52	—	—	36.60	6.60 ~ 54.50
18+18	17.20	17.20	—	—	34.40	8.20 ~ 40.50
	18.30	18.30	—	—	36.60	6.60 ~ 54.50
18+24	14.74	19.66	—	—	34.40	8.30 ~ 40.50
	15.69	20.91	—	—	36.60	6.60 ~ 54.50
24+24	17.20	17.20	—	—	34.40	8.30 ~ 40.50
	18.30	18.30	—	—	36.60	6.60 ~ 54.50
07+07+07	7.00	7.00	7.00	—	21.00	5.50 ~ 26.80
	8.40	8.40	8.40	—	25.20	3.70 ~ 39.20
07+07+09	7.00	7.00	9.00	—	23.00	6.50 ~ 28.60
	8.10	8.10	10.41	—	26.60	4.90 ~ 41.20
07+07+12	7.00	7.00	12.00	—	26.00	7.90 ~ 31.30
	7.75	7.75	13.29	—	28.80	6.50 ~ 44.30
07+07+15	7.00	7.00	15.00	—	29.00	8.20 ~ 34.10
	7.48	7.48	16.03	—	31.00	6.60 ~ 47.30
07+07+18	7.00	7.00	18.00	—	32.00	8.20 ~ 36.80
	7.26	7.26	18.68	—	33.20	6.60 ~ 50.40
07+07+24	6.34	6.34	21.73	—	34.40	8.30 ~ 40.50
	6.74	6.74	23.12	—	36.60	6.60 ~ 54.50
07+09+09	7.00	9.00	9.00	—	25.00	6.50 ~ 30.40
	7.87	10.12	10.12	—	28.10	4.90 ~ 43.30

(Daikin's products are subject to continuous improvement.)

Daikin North America LLC, 5151 San Felipe, Suite 500 Houston, TX 77056

Submission Revision Date: July 2019

to sheet without

# 4MXL36TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					
	Heating Capacity of each indoor unit					
	Each Capacity				Total Indoor Unit Capacity	
	A room	B room	C room	D room	Rating	(min ~ max)
07+09+12	7.00	9.00	12.00	—	28.00	8.00 ~ 33.20
	7.58	9.74	12.99	—	30.30	6.50 ~ 46.30
07+09+15	7.00	9.00	15.00	—	31.00	8.20 ~ 35.90
	7.32	9.41	15.68	—	32.40	6.60 ~ 49.40
07+09+18	7.00	9.00	18.00	—	34.00	8.20 ~ 38.70
	7.12	9.16	18.32	—	34.60	6.60 ~ 52.50
07+09+24	6.02	7.74	20.64	—	34.40	8.30 ~ 40.50
	6.41	8.24	21.96	—	36.60	6.60 ~ 54.50
07+12+12	7.00	12.00	12.00	—	31.00	8.00 ~ 35.90
	7.32	12.54	12.54	—	32.40	6.50 ~ 49.40
07+12+15	7.00	12.00	15.00	—	34.00	8.20 ~ 38.70
	7.12	12.21	15.26	—	34.60	6.60 ~ 52.50
07+12+18	6.51	11.16	16.74	—	34.40	8.20 ~ 40.50
	6.92	11.87	17.81	—	36.60	6.60 ~ 54.50
07+12+24	5.60	9.60	19.20	—	34.40	8.30 ~ 40.50
	5.96	10.21	20.43	—	36.60	6.60 ~ 54.50
07+15+15	6.51	13.95	13.95	—	34.40	8.30 ~ 40.50
	6.92	14.84	14.84	—	36.60	6.70 ~ 54.50
07+15+18	6.02	12.90	15.48	—	34.40	8.30 ~ 40.50
	6.41	13.73	16.47	—	36.60	6.70 ~ 54.50
07+15+24	5.23	11.22	17.95	—	34.40	8.30 ~ 40.50
	5.57	11.93	19.10	—	36.60	6.70 ~ 54.50
07+18+18	5.60	14.40	14.40	—	34.40	8.30 ~ 40.50
	5.96	15.32	15.32	—	36.60	6.70 ~ 54.50
09+09+09	9.00	9.00	9.00	—	27.00	8.00 ~ 32.30
	9.83	9.83	9.83	—	29.50	6.50 ~ 45.30
09+09+12	9.00	9.00	12.00	—	30.00	8.00 ~ 35.00
	9.51	9.51	12.68	—	31.70	6.50 ~ 48.40
09+09+15	9.00	9.00	15.00	—	33.00	8.20 ~ 37.80
	9.25	9.25	15.41	—	33.90	6.60 ~ 51.40
09+09+18	8.60	8.60	17.20	—	34.40	8.20 ~ 40.50
	9.15	9.15	18.30	—	36.60	6.60 ~ 54.50
09+09+24	7.37	7.37	19.66	—	34.40	8.30 ~ 40.50
	7.84	7.84	20.91	—	36.60	6.60 ~ 54.50
09+12+12	9.00	12.00	12.00	—	33.00	8.00 ~ 37.80
	9.25	12.33	12.33	—	33.90	6.60 ~ 51.40
09+12+15	8.60	11.47	14.33	—	34.40	8.20 ~ 40.50
	9.15	12.20	15.25	—	36.60	6.60 ~ 54.50
09+12+18	7.94	10.58	15.88	—	34.40	8.20 ~ 40.50
	8.45	11.26	16.89	—	36.60	6.60 ~ 54.50
09+12+24	6.88	9.17	18.35	—	34.40	8.30 ~ 40.50
	7.32	9.76	19.52	—	36.60	6.60 ~ 54.50
09+15+15	7.94	13.23	13.23	—	34.40	8.30 ~ 40.50
	8.45	14.08	14.08	—	36.60	6.70 ~ 54.50
09+15+18	7.37	12.29	14.74	—	34.40	8.30 ~ 40.50
	7.84	13.07	15.69	—	36.60	6.70 ~ 54.50
09+15+24	6.45	10.75	17.20	—	34.40	8.30 ~ 40.50
	6.86	11.44	18.30	—	36.60	6.70 ~ 54.50
09+18+18	6.88	13.76	13.76	—	34.40	8.30 ~ 40.50
	7.32	14.64	14.64	—	36.60	6.70 ~ 54.50
12+12+12	11.47	11.47	11.47	—	34.40	8.00 ~ 40.50
	12.20	12.20	12.20	—	36.60	6.60 ~ 54.50
12+12+15	10.58	10.58	13.23	—	34.40	8.30 ~ 40.50
	11.26	11.26	14.08	—	36.60	6.60 ~ 54.50
12+12+18	9.83	9.83	14.74	—	34.40	8.30 ~ 40.50
	10.46	10.46	15.69	—	36.60	6.60 ~ 54.50
12+12+24	8.60	8.60	17.20	—	34.40	8.30 ~ 40.50
	9.15	9.15	18.30	—	36.60	6.60 ~ 54.50
12+15+15	9.83	12.29	12.29	—	34.40	8.30 ~ 40.50
	10.46	13.07	13.07	—	36.60	6.70 ~ 54.50
12+15+18	9.17	11.47	13.76	—	34.40	8.30 ~ 40.50
	9.76	12.20	14.64	—	36.60	6.70 ~ 54.50
12+18+18	8.60	12.90	12.90	—	34.40	8.30 ~ 40.50
	9.15	13.73	13.73	—	36.60	6.70 ~ 54.50
15+15+15	11.47	11.47	11.47	—	34.40	8.20 ~ 40.50
	12.20	12.20	12.20	—	36.60	6.70 ~ 54.50
15+15+18	10.75	10.75	12.90	—	34.40	8.20 ~ 40.50
	11.44	11.44	13.73	—	36.60	6.70 ~ 54.50

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

# 4MXL36TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit					
	Heating Capacity of each indoor unit					
	Each Capacity				Total Indoor Unit Capacity	
	A room	B room	C room	D room	Rating	(min ~ max)
07+07+07+07	7.00	7.00	7.00	7.00	28.00	8.20 ~ 33.20
	7.58	7.58	7.58	7.58	30.30	6.60 ~ 46.30
07+07+07+09	7.00	7.00	7.00	9.00	30.00	8.20 ~ 35.00
	7.40	7.40	7.40	9.51	31.70	6.60 ~ 48.40
07+07+07+12	7.00	7.00	7.00	12.00	33.00	8.20 ~ 37.80
	7.19	7.19	7.19	12.33	33.90	6.60 ~ 51.40
07+07+07+15	6.69	6.69	6.69	14.33	34.40	8.30 ~ 40.50
	7.12	7.12	7.12	15.25	36.60	6.70 ~ 54.50
07+07+07+18	6.17	6.17	6.17	15.88	34.40	8.30 ~ 40.50
	6.57	6.57	6.57	16.89	36.60	6.70 ~ 54.50
07+07+07+24	5.35	5.35	5.35	18.35	34.40	8.30 ~ 40.50
	5.69	5.69	5.69	19.52	36.60	6.70 ~ 54.50
07+07+09+09	7.00	7.00	9.00	9.00	32.00	8.20 ~ 36.80
	7.26	7.26	9.34	9.34	33.20	6.60 ~ 50.40
07+07+09+12	6.88	6.88	8.85	11.79	34.40	8.20 ~ 39.60
	7.12	7.12	9.15	12.21	35.60	6.60 ~ 53.50
07+07+09+15	6.34	6.34	8.15	13.58	34.40	8.30 ~ 40.50
	6.74	6.74	8.67	14.45	36.60	6.70 ~ 54.50
07+07+09+18	5.87	5.87	7.55	15.10	34.40	8.30 ~ 40.50
	6.25	6.25	8.03	16.07	36.60	6.70 ~ 54.50
07+07+09+24	5.12	5.12	6.59	17.57	34.40	8.30 ~ 40.50
	5.45	5.45	7.01	18.69	36.60	6.70 ~ 54.50
07+07+12+12	6.34	6.34	10.86	10.86	34.40	8.30 ~ 40.50
	6.74	6.74	11.56	11.56	36.60	6.60 ~ 54.50
07+07+12+15	5.87	5.87	10.07	12.59	34.40	8.30 ~ 40.50
	6.25	6.25	10.71	13.39	36.60	6.70 ~ 54.50
07+07+12+18	5.47	5.47	9.38	14.07	34.40	8.30 ~ 40.50
	5.82	5.82	9.98	14.97	36.60	6.70 ~ 54.50
07+07+15+15	5.47	5.47	11.73	11.73	34.40	8.20 ~ 40.50
	5.82	5.82	12.48	12.48	36.60	6.70 ~ 54.50
07+07+15+18	5.12	5.12	10.98	13.17	34.40	8.20 ~ 40.50
	5.45	5.45	11.68	14.02	36.60	6.70 ~ 54.50
07+09+09+09	7.00	9.00	9.00	9.00	34.00	8.20 ~ 38.70
	7.12	9.16	9.16	9.16	34.60	6.60 ~ 52.50
07+09+09+12	6.51	8.37	8.37	11.16	34.40	8.30 ~ 40.50
	6.92	8.90	8.90	11.87	36.60	6.60 ~ 54.50
07+09+09+15	6.02	7.74	7.74	12.90	34.40	8.30 ~ 40.50
	6.41	8.24	8.24	13.73	36.60	6.70 ~ 54.50
07+09+09+18	5.60	7.20	7.20	14.40	34.40	8.30 ~ 40.50
	5.96	7.66	7.66	15.32	36.60	6.70 ~ 54.50
07+09+12+12	6.02	7.74	10.32	10.32	34.40	8.30 ~ 40.50
	6.41	8.24	10.98	10.98	36.60	6.60 ~ 54.50
07+09+12+15	5.60	7.20	9.60	12.00	34.40	8.30 ~ 40.50
	5.96	7.66	10.21	12.77	36.60	6.70 ~ 54.50
07+09+12+18	5.23	6.73	8.97	13.46	34.40	8.30 ~ 40.50
	5.57	7.16	9.55	14.32	36.60	6.70 ~ 54.50
07+09+15+15	5.23	6.73	11.22	11.22	34.40	8.20 ~ 40.50
	5.57	7.16	11.93	11.93	36.60	6.70 ~ 54.50
07+12+12+12	5.60	9.60	9.60	9.60	34.40	8.30 ~ 40.50
	5.96	10.21	10.21	10.21	36.60	6.70 ~ 54.50
07+12+12+15	5.23	8.97	8.97	11.22	34.40	8.30 ~ 40.50
	5.57	9.55	9.55	11.93	36.60	6.70 ~ 54.50
09+09+09+09	8.60	8.60	8.60	8.60	34.40	8.30 ~ 40.50
	9.15	9.15	9.15	9.15	36.60	6.60 ~ 54.50
09+09+09+12	7.94	7.94	7.94	10.58	34.40	8.30 ~ 40.50
	8.45	8.45	8.45	11.26	36.60	6.60 ~ 54.50
09+09+09+15	7.37	7.37	7.37	12.29	34.40	8.30 ~ 40.50
	7.84	7.84	7.84	13.07	36.60	6.70 ~ 54.50
09+09+09+18	6.88	6.88	6.88	13.76	34.40	8.30 ~ 40.50
	7.32	7.32	7.32	14.64	36.60	6.70 ~ 54.50
09+09+12+12	7.37	7.37	9.83	9.83	34.40	8.30 ~ 40.50
	7.84	7.84	10.46	10.46	36.60	6.70 ~ 54.50
09+09+12+15	6.88	6.88	9.17	11.47	34.40	8.30 ~ 40.50
	7.32	7.32	9.76	12.20	36.60	6.70 ~ 54.50
09+09+12+18	6.45	6.45	8.60	12.90	34.40	8.30 ~ 40.50
	6.86	6.86	9.15	13.73	36.60	6.70 ~ 54.50
09+09+15+15	6.45	6.45	10.75	10.75	34.40	8.20 ~ 40.50
	6.86	6.86	11.44	11.44	36.60	6.70 ~ 54.50
09+12+12+12	6.88	9.17	9.17	9.17	34.40	8.30 ~ 40.50
	7.32	9.76	9.76	9.76	36.60	6.70 ~ 54.50
09+12+12+15	6.45	8.60	8.60	10.75	34.40	8.30 ~ 40.50
	6.86	9.15	9.15	11.44	36.60	6.70 ~ 54.50
09+12+12+18	6.02	8.60	8.60	8.60	34.40	8.30 ~ 40.50
	6.41	9.15	9.15	9.15	36.60	6.70 ~ 54.50

(Daikin's products are subject to continuous improvement. The capacity values are for reference only. The actual capacity may vary due to the installation conditions and the ambient conditions. Please refer to the product manual for the detailed information. The capacity values are for reference only. The actual capacity may vary due to the installation conditions and the ambient conditions. Please refer to the product manual for the detailed information.)



## Ducted, 60 Hz, 208-230V

Combination of indoor unit	Cooling Capacity of each indoor unit					
	Heating Capacity of each indoor unit					
	Each Capacity				Total Indoor Unit Capacity	
	A room	B room	C room	D room	Rating	(min ~ max)
09	9.00	—	—	—	9.00	3.40 ~ 11.00
	11.50	—	—	—	11.50	3.40 - 17.30
12	12.00	—	—	—	12.00	4.20 ~ 14.00
	15.30	—	—	—	15.30	3.50 - 23.10
15	15.00	—	—	—	15.00	4.80 ~ 17.50
	19.20	—	—	—	19.20	3.60 - 28.80
18	18.00	—	—	—	18.00	4.80 ~ 21.00
	23.00	—	—	—	23.00	3.60 - 34.60
24	24.00	—	—	—	24.00	6.00 ~ 26.70
	27.40	—	—	—	27.40	4.80 - 39.90
09+09	9.00	9.00	—	—	18.00	4.90 ~ 21.00
	11.50	11.50	—	—	23.00	3.60 - 34.60
09+12	9.00	12.00	—	—	21.00	5.00 ~ 23.80
	10.80	14.40	—	—	25.20	3.60 - 37.30
09+15	9.00	15.00	—	—	24.00	7.70 ~ 26.70
	10.28	17.13	—	—	27.40	6.50 - 39.90
09+18	9.00	18.00	—	—	27.00	7.80 ~ 29.50
	9.83	19.67	—	—	29.50	6.50 - 42.60
09+24	9.00	24.00	—	—	33.00	7.90 ~ 35.20
	9.25	24.65	—	—	33.90	6.50 - 47.90
12+12	12.00	12.00	—	—	24.00	6.00 ~ 26.70
	13.70	13.70	—	—	27.40	4.80 - 39.90
12+15	12.00	15.00	—	—	27.00	7.80 ~ 29.50
	13.11	16.39	—	—	29.50	6.50 - 42.60
12+18	12.00	18.00	—	—	30.00	7.80 ~ 32.40
	12.68	19.02	—	—	31.70	6.50 - 45.20
12+24	11.47	22.93	—	—	34.40	8.00 ~ 35.20
	11.53	23.07	—	—	34.60	6.50 - 50.50
15+15	15.00	15.00	—	—	30.00	8.10 ~ 32.40
	15.85	15.85	—	—	31.70	6.50 - 45.20
15+18	15.00	18.00	—	—	33.00	8.10 ~ 35.20
	15.41	18.49	—	—	33.90	6.60 - 47.90
15+24	13.23	21.17	—	—	34.40	8.20 ~ 35.20
	13.31	21.29	—	—	34.60	6.60 - 50.50
18+18	17.20	17.20	—	—	34.40	8.10 ~ 35.20
	17.30	17.30	—	—	34.60	6.60 - 50.50
18+24	14.74	19.66	—	—	34.40	8.20 ~ 35.20
	14.83	19.77	—	—	34.60	6.60 - 50.50
24+24	17.20	17.20	—	—	34.40	8.30 ~ 35.20
	17.30	17.30	—	—	34.60	6.60 - 50.50
09+09+09	9.00	9.00	9.00	—	27.00	7.90 ~ 29.50
	9.83	9.83	9.83	—	29.50	6.50 - 42.60
09+09+12	9.00	9.00	12.00	—	30.00	7.90 ~ 32.40
	9.51	9.51	12.68	—	31.70	6.50 - 45.20
09+09+15	9.00	9.00	15.00	—	33.00	8.10 ~ 35.20
	9.25	9.25	15.41	—	33.90	6.60 - 47.90
09+09+18	8.60	8.60	17.20	—	34.40	8.20 ~ 35.20
	8.65	8.65	17.30	—	34.60	6.60 - 50.50
09+09+24	7.37	7.37	19.66	—	34.40	8.20 ~ 35.20
	7.41	7.41	19.77	—	34.60	6.60 - 50.50
09+12+12	9.00	12.00	12.00	—	33.00	7.90 ~ 35.20
	9.25	12.33	12.33	—	33.90	6.50 - 47.90
09+12+15	8.60	11.47	14.33	—	34.40	8.10 ~ 35.20
	8.65	11.53	14.42	—	34.60	6.60 - 50.50
09+12+18	7.94	10.58	15.88	—	34.40	8.20 ~ 35.20
	7.98	10.65	15.97	—	34.60	6.60 - 50.50
09+12+24	6.88	9.17	18.35	—	34.40	8.20 ~ 35.20
	6.92	9.23	18.45	—	34.60	6.60 - 50.50
09+15+15	7.94	13.23	13.23	—	34.40	8.30 ~ 35.20
	7.98	13.31	13.31	—	34.60	6.60 - 50.50

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

# 4MXL36TVJU Capacity Tables



Combination of indoor unit	Cooling Capacity of each indoor unit				Heating Capacity of each indoor unit	
	Each Capacity				Total Indoor Unit Capacity	
	A room	B room	C room	D room	Rating	(min ~ max)
09+15+18	7.37	12.29	14.74	—	34.40	8.30 ~ 35.20
	7.41	12.36	14.83	—	34.60	6.60 - 50.50
09+15+24	6.45	10.75	17.20	—	34.40	8.30 ~ 35.20
	6.49	10.81	17.30	—	34.60	6.70 - 50.50
09+18+18	6.88	13.76	13.76	—	34.40	8.30 ~ 35.20
	6.92	13.84	13.84	—	34.60	6.70 - 50.50
12+12+12	11.47	11.47	11.47	—	34.40	7.90 ~ 35.20
	11.53	11.53	11.53	—	34.60	6.50 - 50.50
12+12+15	10.58	10.58	13.23	—	34.40	8.20 ~ 35.20
	10.65	10.65	13.31	—	34.60	6.60 - 50.50
12+12+18	9.83	9.83	14.74	—	34.40	8.20 ~ 35.20
	9.89	9.89	14.83	—	34.60	6.60 - 50.50
12+12+24	8.60	8.60	17.20	—	34.40	8.30 ~ 35.20
	8.65	8.65	17.30	—	34.60	6.60 - 50.50
12+15+15	9.83	12.29	12.29	—	34.40	8.30 ~ 35.20
	9.89	12.36	12.36	—	34.60	6.60 - 50.50
12+15+18	9.17	11.47	13.76	—	34.40	8.30 ~ 35.20
	9.23	11.53	13.84	—	34.60	6.70 - 50.50
12+18+18	8.60	12.90	12.90	—	34.40	8.30 ~ 35.20
	8.65	12.98	12.98	—	34.60	6.70 - 50.50
15+15+15	11.47	11.47	11.47	—	34.40	8.30 ~ 35.20
	11.53	11.53	11.53	—	34.60	6.70 - 50.50
15+15+18	10.75	10.75	12.90	—	34.40	8.30 ~ 35.20
	10.81	10.81	12.98	—	34.60	6.70 - 50.50
09+09+09+09	8.60	8.60	8.60	8.60	34.40	8.20 ~ 35.20
	8.65	8.65	8.65	8.65	34.60	6.60 - 50.50
09+09+09+12	7.94	7.94	7.94	10.58	34.40	8.20 ~ 35.20
	7.98	7.98	7.98	10.65	34.60	6.60 - 50.50
09+09+09+15	7.37	7.37	7.37	12.29	34.40	8.30 ~ 35.20
	7.41	7.41	7.41	12.36	34.60	6.70 - 50.50
09+09+09+18	6.88	6.88	6.88	13.76	34.40	8.30 ~ 35.20
	6.92	6.92	6.92	13.84	34.60	6.70 - 50.50
09+09+12+12	7.37	7.37	9.83	9.83	34.40	8.20 ~ 35.20
	7.41	7.41	9.89	9.89	34.60	6.60 - 50.50
09+09+12+15	6.88	6.88	9.17	11.47	34.40	8.30 ~ 35.20
	6.92	6.92	9.23	11.53	34.60	6.70 - 50.50
09+09+12+18	6.45	6.45	8.60	12.90	34.40	8.30 ~ 35.20
	6.49	6.49	8.65	12.98	34.60	6.70 - 50.50
09+09+15+15	6.45	6.45	10.75	10.75	34.40	8.30 ~ 35.20
	6.49	6.49	10.81	10.81	34.60	6.70 - 50.50
09+12+12+12	6.88	9.17	9.17	9.17	34.40	8.20 ~ 35.20
	6.92	9.23	9.23	9.23	34.60	6.60 - 50.50
09+12+12+15	6.45	8.60	8.60	10.75	34.40	8.30 ~ 35.20
	6.49	8.65	8.65	10.81	34.60	6.70 - 50.50
12+12+12+12	8.60	8.60	8.60	8.60	34.40	8.20 ~ 35.20
	8.65	8.65	8.65	8.65	34.60	6.60 - 50.50